

Bone apposition to titanium implants biocoated with recombinant human bone morphogenetic protein 2 (rhBMP-2). A pilot study in dogs

**Jürgen Becker · Axel Kirsch · Frank Schwarz ·
Maria Chatzinikolaidou · Daniel Rothamel ·
Vojislav Lekovic · Markus Laub ·
Herbert Peter Jennissen**

Published online: 27 July 2006
© Springer-Verlag 2006

Clin Oral Invest (2006) DOI 10.1007/s00784-006-0049-0

The name of one of the authors, Markus Laub, was omitted.
The complete list is given above.

The third address was incorrect. The correct version is
given below.

The online version of the article can be found at <http://dx.doi.org/10.1007/s00784-006-0049-0>.

J. Becker (✉) · F. Schwarz · D. Rothamel
Department of Oral Surgery, Heinrich-Heine-University,
Düsseldorf, Germany
e-mail: jbecker@uni-duesseldorf.de

A. Kirsch
Private Practice,
Filderstadt, Germany

M. Chatzinikolaidou · M. Laub · H. P. Jennissen
Institute for Physiological Chemistry,
University of Duisburg-Essen,
Hufelandstraße 55, 45122 Essen, Germany

V. Lekovic
Department of Periodontology, University of Belgrade,
Belgrade, Serbia and Montenegro

Copyright of Clinical Oral Investigations is the property of Springer Science & Business Media B.V. and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.