

Author Index

- Adib, V., Spratt, D., Ng, Y.-L. & Gulabivala, K. Cultivable microbial flora associated with persistent periapical disease and coronal leakage after root canal treatment: a preliminary study, 542
Akdeniz, B.G. *see* Güneri, P.
Aktener, B.O. *see* Demirbaş Kaya, A.
Al Shalabi, R.M. *see* Omer, O.E.
Alomari, Q.D. *see* Hamasha, A.A.
Arai, T. *see* Hosoya, N.
Araújo, V.C. *see* Martinez, E.F.
Arbab-Chirani, R. & Vulcain, J.M. Undergraduate teaching and clinical use of rotary nickel-titanium endodontic instruments: a survey of French dental schools, 320
Asgary, S. *see* Parirokh, M.
Asgor Moral, A. *see* Takushige, T.
Aslanalp, V. *see* Sert, S.
Attin, T. *see* Hoer, D.
Ayar, L.R. & Love, R.M. Shaping ability of ProFile and K3 rotary Ni-Ti instruments when used in a variable tip sequence in simulated curved root canals, 593
Azabal, M., Garcia-Otero, D. & de la Macorra, J.C. Accuracy of the Justy II Apex locator in determining working length in simulated horizontal and vertical fractures, 174

Bailey, G.C., Cunningham, S.A., Ng, Y.-L., Gulabivala, K. & Setchell, D.J. Ultrasonic condensation of gutta-percha: the effect of power setting and activation time on temperature rise at the root surface – an *in vitro* study, 447
Bailey, G.C., Ng, Y.-L., Cunningham, S.A., Barber, P., Gulabivala, K. & Setchell, D.J. Root canal obturation by ultrasonic condensation of gutta-percha. Part II: an *in vitro* investigation of the quality of obturation, 694
Balducci, I. *see* Benetti, A.R.
Barbakow, F. *see* Peters, O.A.
Barber, P. *see* Bailey, G.C.
Bedford, J.M., Martin, D.M. & Youngson, C.C. Assessment of a contrast medium as an adjunct to endodontic radiography, 806
Belli, S. *see* Ozturk, B.
Benetti, A.R., Valera, M.C., Mancini, M.N.G., Miranda, C.B. & Balducci, I. *In vitro* penetration of bleaching agents into the pulp chamber, 120
Best, S., Watson, P., Pilliar, R., Kulkarni, G.G.K. & Yared, G. Torsional fatigue and endurance limit of a size 30 .06 ProFile rotary instrument, 370
Bian, Z. *see* Song, Y.L.

Biffi, J.C.G. *see* Sousa, C.J.A.
Bitter, K., Paris, S., Martus, P., Schartner, R. & Kielbassa, A.M. A Confocal Laser Scanning Microscope investigation of different dental adhesives bonded to root canal dentine, 840
Biz, M.T. & Figueiredo, J.A.P. Morphometric analysis of shank-to-flute ratio in rotary nickel-titanium files, 353
Bjørndal, L. & Reit, C. The annual frequency of root fillings, tooth extractions and pulp-related procedures in Danish adults during 1977–2003, 782
Bluhm, V. *see* Hülsmann, M.
Bombana, A.C. *see* Okino, L.A.
Botha, A.J. *see* Shipper, G.
Bourithis, L. *see* Darabara, M.
Brandt, M. *see* Gernhardt, C.R.
Breschi, L. *see* Foschi, F.
Buschang, P.H. *see* Menhinick, K.A.

Calberson, F.L.G., Deroose, C.A.J.G., Hommez, G.M.G. & De Moor, R.J.G. Shaping ability of ProTaper nickel-titanium files in simulated resin root canals, 613
Calberson, F.L.G. *see* De Moor, R.J.G.
Çalışkan, M.K. Prognosis of large cyst-like periapical lesions following nonsurgical root canal treatment: a clinical review, 408
Camargo, C.H.R. *see* Menezes, M.M.
Camilleri, J., Montesin, F.E., Papaioannou, S., McDonald, F. & Pitt Ford, T.R. Biocompatibility of two commercial forms of mineral trioxide aggregate, 699
Chandler, N.P. *see* Gordon, M.P.J.
Chang, Y.-C. *see* Yang, L.-C.
Chávez de Paz, L.E., Molander, A. & Dahlén, G. Gram-positive rods prevailing in teeth with apical periodontitis undergoing root canal treatment, 579
Chen, C.H. *see* Chen, Y.K.
Chen, K.L., Wu, Y.H. & Chen, Y.-H.M. Use of a molar clamp to isolate two adjacent single-rooted teeth: a clinical aid, 507
Chen, N.N. *see* Lui, J.N.
Chen, Y.-H.M. *see* Chen, K.L.
Chen, Y.K., Chen, C.H., Lin, C.C., Hsue, S.S., Lin, Y.R. & Lin, L.M. Central adenoid cystic carcinoma of the mandible manifesting as an endodontic lesion, 711
Cheung, G.S.P. *see* Wang, Q.
Çiçek, Y. *see* Özgöz, M.
Claeys, G. *see* Hommez, G.M.G.
Claffey, N.M. *see* Omer, O.E.
Cleaton-Jones, P.E. *see* Shipper, G.

- Covey, D. *see* Jarrett, I.S.
 Cruz, E.V. *see* Takushige, T.
 Cunningham, S.A. *see* Bailey, G.C.
- Dahlén, G. *see* Chávez de Paz, L.E.
 Darabara, M., Bourithis, L., Zinelis, S. & Papadimitriou, G.D. Susceptibility to localized corrosion of stainless steel and NiTi endodontic instruments in irrigating solutions, 705
 De Bruyne, M.A.A. & De Moor, R.J.G. The use of glass ionomer cements in both conventional and surgical endodontics, 91
 De Moor, R.J.G., Deroose, C.A.J.G. & Calberson, F.L.G. The radix entomolaris in mandibular first molars: an endodontic challenge, 789
 De Moor, R.J.G. *see* Calberson, F.L.G.
 De Moor, R.J.G. *see* De Bruyne, M.A.A.
 De Moor, R.J.G. *see* Hommez, G.M.G.
 Del Fabbro, M. *see* Taschieri, S.
 Demarchi, A.C.C.de O. *see* Duarte, M.A.H.
 Demirbaş Kaya, A., Aktener, B.O. & Ünsal, Ç. Pulpal necrosis with sickle cell anaemia, 602
 Deroose, C.A.J.G. *see* Calberson, F.L.G.
 Deroose, C.A.J.G. *see* De Moor, R.J.G.
 Dickson, M. *see* Smith, E.
 Doğan, C. *see* Yoldaş, O.
 Domínguez-Mejía, J.S. *see* Tobón-Arroyave, S.I.
 Drucker, D.B. *see* Pinheiro, E.T.
 Drucker, D.B. *see* Radcliffe, C.E.
 Duarte, M.A.H., Demarchi, A.C.C. de O. & de Moraes, I.G. Determination of pH and calcium ion release provided by pure and calcium hydroxide-containing AHPlus, 42
 Dummer, M.H. Editorial, 805
- Ebner, J.P. *see* Velvart, P.
 Ebner-Zimmermann, U. *see* Velvart, P.
 Eghbal, M.J. *see* Parirokh, M.
 Emshoff, I. *see* Emshoff, R.
 Emshoff, R., Emshoff, I., Moschen, I. & Strobl, H. Laser Doppler flow measurements of pulpal blood flow and severity of dental injury, 463
 Eppendorf, K. *see* Gernhardt, C.R.
 Evans, A.L. *see* Smith, E.
- Fan, B. *see* Song, Y.L.
 Fan, M.W. *see* Song, Y.L.
 Favero, L. *see* Piattelli, A.
 Ferrari, M. *see* Grandini, S.
 Ferraz, C.C.R. *see* Pinheiro, E.T.
 Ferreira, A.L. *see* Ferreira, F.B.A.
 Ferreira, F.B.A., Ferreira, A.L., Gomes, B.P.F.A. & Souza-Filho, F.J. Resolution of persistent periapical infection by endodontic surgery, 61
 Field, J.W., Gutmann, J.L., Solomon, E.S. & Rakusin, H. A clinical radiographic retrospective assessment of the success rate of single-visit root canal treatment, 70
- Figueiredo, J.A.P. *see* Biz, M.T.
 Figueiredo, J.A.P. *see* Okino, L.A.
 Figueiredo, J.A.P. *see* Vier, F.V.
 Fioroni, M. *see* Piattelli, A.
 Firic, S. *see* Iqbal, M.K.
 Fischer, M.B. *see* Gruber, R.
 Fishelberg, G. Clinical response to a vacant post space, 199
 Flórez-Moreno, G.A. *see* Tobón-Arroyave, S.I.
 Foschi, F., Nucci, C., Montebugnoli, L., Marchionni, S., Breschi, L., Malagnino, V.A. & Prati, C. SEM evaluation of canal wall dentine following use of Mtwo and ProTaper NiTi rotary instruments, 832
 Fox, K., Wood, D.J. & Youngson, C.C. A clinical report of 85 fractured metallic post-retained crowns, 561
 Foxton, R.M. *see* Hiraishi, N.
 Fraga, S.C. *see* Nary Filho, H.
 Francetti, L. *see* Taschieri, S.
 Fristad, I., Molven, O. & Halse, A. Nonsurgically retreated root filled teeth – radiographic findings after 20–27 years, 12
 Fujishima, T. *see* Kwon, T.Y.
- Garcia-Otero, D. *see* Azabal, M.
 Georgopoulou, M.K. *see* Kontakiotis, E.G.
 Gernhardt, C.R., Eppendorf, K., Kozlowski, A. & Brandt, M. Toxicity of concentrated sodium hypochlorite used as an endodontic irrigant, 272
 Ghori, S. *see* Gulabivala, K.
 Glennon, J. *see* Omer, O.E.
 Glennon, J.P., Ng, Y.-L., Setchell, D.J. & Gulabivala, K. Prevalence of and factors affecting postpreparation pain in patients undergoing two-visit root canal treatment, 29
 Glennon, J.P. *see* Ng, Y.-L.
 Gomes, B.P.F.A. *see* Ferreira, F.B.A.
 Gomes, B.P.F.A. *see* Pinheiro, E.T.
 Gonçales, E.S. *see* Nary Filho, H.
 González-López, S. *see* Machado-Silveiro, L.F.
 González-Rodríguez, M.P. *see* Machado-Silveiro, L.F.
 Goracci, C. *see* Grandini, S.
 Gordon, M.P.J. & Chandler, N.P. Electronic apex locators, 425
 Gound, T. *see* Jarrett, I.S.
 Grandini, S., Sapiro, S., Goracci, C., Monticelli, F. & Ferrari, M. A one step procedure for luting glass fibre posts: an SEM evaluation, 679
 Grossman, E.S. *see* Shipper, G.
 Gruber, R., Jindra, C., Kandler, B., Watzak, G., Fischer, M.B. & Watzek, G. Proliferation of dental pulp fibroblasts in response to thrombin involves mitogen-activated protein kinase signalling, 145
 Gulabivala, K., Stock, C.J.R., Lewsey, J.D., Ghori, S., Ng, Y.-L. & Spratt, D.A. Effectiveness of electro-chemically activated water as an irrigant in an infected tooth model, 624
 Gulabivala, K. *see* Adib, V.
 Gulabivala, K. *see* Bailey, G.C.

- Gulabivala, K. *see* Glennon, J.P.
 Gulabivala, K. *see* Ng, Y.-L.
 Güneri, P. & Akdeniz, B.G. Fraudulent management of digital endodontic images, 214
 Gutmann, J.L. *see* Field, J.W.
 Gutmann, J.L. *see* Menhinick, K.A.
 Gutmann, J.L. *see* Song, Y.L.
- Haapasalo, M. *see* Saleh, I.M.
 Hababbeh, N. *see* Radcliffe, C.E.
 Halse, A. & Molven, O. Increased width of the apical periodontal membrane space in endodontically treated teeth may represent favourable healing, 552
 Halse, A. *see* Fristad, I.
 Hamano, H. *see* Muramatsu, T.
 Hamasha, A.A. & Alomari, Q.D. Prevalence of dens invaginatus in Jordanian adults, 307
 Hiraishi, N., Kitasako, Y., Nikaido, T., Foxton, R.M., Tagami, J. & Nomura, S. Detection of acid diffusion through bovine dentine after adhesive application, 455
 Hoer, D. & Attin, T. The accuracy of electronic working length determination, 125
 Hommez, G.M.G., Verhelst, R., Claeys, G., Vaneechoutte, M. & De Moor, R.J.G. Investigation of the effect of the coronal restoration quality on the composition of the root canal microflora in teeth with apical periodontitis by means of T-RFLP analysis, 819
 Hommez, G.M.G. *see* Calberson, F.L.G.
 Hoshino, E. *see* Takushige, T.
 Hosoya, N., Kurayama, H., Iino, F. & Arai, T. Effects of calcium hydroxide on physical and sealing properties of canal sealers, 178
 Hsiao, G.Y.-W. *see* Park, S.H.
 Hsue, S.S. *see* Chen, Y.K.
 Huang, F.-M. *see* Yang, L.-C.
 Huang, G.T.-J. *see* Park, S.H.
 Hülsmann, M. & Bluhm, V. Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468
- Ide, Y. *see* Oi, T.
 Iino, F. *see* Hosoya, N.
 Imai, Y. *see* Kwon, T.Y.
 Inoue, T. *see* Muramatsu, T.
 Iqbal, M.K., Firic, S., Tulcan, J., Karabucak, B. & Kim, S. Comparison of apical transportation between ProFileTM and ProTaperTM NiTi rotary instruments, 359
 Jarrett, I.S., Marx, D., Covey, D., Karmazin, M., Lavin, M. & Gound, T. Percentage of canals filled in apical cross sections – an *in vitro* study of seven obturation techniques, 392
 Jennings, M. *see* Omer, O.E.
 Jiménez-Pinzón, A., Segura-Egea, J.J., Poyato-Ferrera, M., Velasco-Ortega, E. & Ríos-Santos, J.V.
- Prevalence of apical periodontitis and frequency of root-filled teeth in an adult Spanish population, 167
 Jiménez-Pinzón, A. *see* Segura-Egea, J.J.
 Jindra, C. *see* Gruber, R.
 Jorge, A.O.C. *see* Menezes, M.M.
 Jung, M. Endodontic treatment of dens invaginatus type III with three root canals and open apical foramen, 205
- Kakoei, S. *see* Parirokh, M.
 Kandler, B. *see* Gruber, R.
 Karabucak, B. *see* Iqbal, M.K.
 Karmazin, M. *see* Jarrett, I.S.
 Katz, A. *see* Tagger, M.
 Kielbassa, A.M. *see* Bitter, K.
 Kim, S. *see* Iqbal, M.K.
 Kitasako, Y. *see* Hiraishi, N.
 Koga-Ito, C.Y. *see* Menezes, M.M.
 Kontakiotis, E.G., Lagoudakos, T.A. & Georgopoulos, M.K. The influence of root-end resection and root-end cavity preparation on microleakage of root-filled teeth *in vitro*, 403
 Kozlowski, A. *see* Gernhardt, C.R.
 Kulkarni, G.G.K. *see* Best, S.
 Kulkarni, G.K. *see* Yared, G.
 Kurayama, H. *see* Hosoya, N.
 Kwon, T.Y., Fujishima, T. & Imai, Y. FT-Raman spectroscopy of calcium hydroxide medicament in root canals, 489
- Lagoudakos, T.A. *see* Kontakiotis, E.G.
 Lai, C.-C. *see* Yang, L.-C.
 Lavin, M. *see* Jarrett, I.S.
 Lea, S.C. *see* Tomson, P.L.M.
 Lee, G.P., Lee, M.Y., Lum, S.O.Y., Poh, R.S.C. & Lim, K.-C. Extraradicular diffusion of hydrogen peroxide and pH changes associated with intracoronal bleaching of discoloured teeth using different bleaching agents, 500
 Lee, G.P. *see* Lim, M.Y.
 Lee, M.Y. *see* Lee, G.P.
 Lee, S.-J., Wu, M.-K. & Wesselink, P.R. The effectiveness of syringe irrigation and ultrasonics to remove debris from simulated irregularities within prepared root canal walls, 672
 Lee, S.-J., Wu, M.-K. & Wesselink, P.R. The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from different-sized simulated plastic root canals, 607
 Lewsey, J.D. *see* Gulabivala, K.
 Lim, K.-C. *see* Lee, G.P.
 Lim, K.-C. *see* Lim, M.Y.
 Lim, M.Y., Lum, S.O.Y., Poh, R.S.C., Lee, G.P. & Lim, K.-C. An *in vitro* comparison of the bleaching efficacy of 35% carbamide peroxide with established intracoronal bleaching agents, 483
 Lin, C.C. *see* Chen, Y.K.
 Lin, L.M. *see* Chen, Y.K.

- Lin, Y.R. *see* Chen, Y.K.
 Linsuwanont, P., Parashos, P. & Messer, H.H. Cleaning of rotary nickel–titanium endodontic instruments, 19
 Liu, C.-M. *see* Yang, L.-C.
 Love, R.M. *see* Ayar, L.R.
 Love, R.M. *see* Turner, S.R.
 Loyola, A.M. *see* Sousa, C.J.A.
 Lui, J.N., Sae-Lim, V., Song, K.P. & Chen, N.N. *In vitro* antimicrobial effect of chlorhexidine-impregnated gutta percha points on *Enterococcus faecalis*, 105
 Lum, S.O.Y. *see* Lee, G.P.
 Lum, S.O.Y. *see* Lim, M.Y.
 Lumley, P.J. *see* Tomson, P.L.M.
 Lyons, K.M. *see* Turner, S.R.
 McDonald, F. *see* Camilleri, J.
 Machado-Silveiro, L.F., González-López, S. & González-Rodríguez, M.P. Decalcification of root canal dentine by citric acid, EDTA and sodium citrate, 365
 de la Macorra, J.C. *see* Azabal, M.
 Malagnino, V.A. *see* Foschi, F.
 Mancini, M.N.G. *see* Benetti, A.R.
 Mancini, M.N.G. *see* Menezes, M.M.
 Marchionni, S. *see* Foschi, F.
 Martin, D.M. *see* Bedford, J.M.
 Martinez, E.F. & Araújo, V.C. *In vitro* immunoexpression of extracellular matrix proteins in dental pulpal and gingival human fibroblasts, 749
 Martus, P. *see* Bitter, K.
 Marx, D. *see* Jarrett, I.S.
 Matsumoto, M.A. *see* Nary Filho, H.
 Menezes, M.M., Valera, M.C., Jorge, A.O.C., Koga-Ito, C.Y., Camargo, C.H.R. & Mancini, M.N.G. *In vitro* evaluation of the effectiveness of irrigants and intracanal medicaments on microorganisms within root canals, 311
 Menhinick, K.A., Gutmann, J.L., Regan, J.D., Taylor, S.E. & Buschang, P.H. The efficacy of pain control following nonsurgical root canal treatment using ibuprofen or a combination of ibuprofen and acetaminophen in a randomized, double-blind, placebo-controlled study, 531
 Messer, H.H. *see* Linsuwanont, P.
 Messer, H.H. *see* Parashos, P.
 Messer, H.H. *see* Weis, M.V.
 Miranda, C.B. *see* Benetti, A.R.
 Molander, A. *see* Chávez de Paz, L.E.
 Molven, O. *see* Fristad, I.
 Molven, O. *see* Halse, A.
 Montebugnoli, L. *see* Foschi, F.
 Montesin, F.E. *see* Camilleri, J.
 Monticelli, F. *see* Grandini, S.
 de Moraes, I.G. *see* Duarte, M.A.H.
 Moschen, I. *see* Emshoff, R.
 Muramatsu, T., Hamano, H., Ogami, K., Ohta, K., Inoue, T. & Shimono, M. Reduction of connexin 43 expression in aged human dental pulp, 814
 Murray, C.A. *see* Smith, E.
 Nalçacı, A., Öztan, M.D. & Yılmaz, Ş. Cytotoxicity of composite resins polymerized with different curing methods, 151
 Nary Filho, H., Matsumoto, M.A., Fraga, S.C., Gonçales, E.S. & Sérvulo, F. Periapical radiolucency mimicking an odontogenic cyst, 337
 Newcombe, R.G. CONSORT guidelines applied to an exemplar paper, 3
 Newcombe, R.G. Reporting of clinical trials in the *International Endodontic Journal* – the CONSORT guidelines, 1
 Ng, R.P.Y. *see* Wang, Q.
 Ng, Y.-L., Glennon, J.P., Setchell, D.J. & Gulabivala, K. Prevalence of and factors affecting post-obturation pain in patients undergoing root canal treatment, 381
 Ng, Y.-L. *see* Adib, V.
 Ng, Y.-L. *see* Bailey, G.C.
 Ng, Y.-L. *see* Glennon, J.P.
 Ng, Y.-L. *see* Gulabivala, K.
 Nikaido, T. *see* Hiraishi, N.
 Nomura, S. *see* Hiraishi, N.
 Nowzari, H. *see* Slots, J.
 Nucci, C. *see* Foschi, F.
 Ogami, K. *see* Muramatsu, T.
 Ohta, K. *see* Muramatsu, T.
 Oi, T., Saka, H. & Ide, Y. Three-dimensional observation of pulp cavities in the maxillary first premolar tooth using micro-CT, 46
 Okino, L.A., Siqueira, E.L., Santos, M., Bombana, A.C. & Figueiredo, J.A.P. Dissolution of pulp tissue by aqueous solution of chlorhexidine digluconate and chlorhexidine digluconate gel, 38
 Oliveira, R.P. *see* Sousa, C.J.A.
 Omer, O.E., Al Shalabi, R.M., Jennings, M., Glennon, J. & Claffey, N.M. A comparison between clearing and radiographic techniques in the study of the root-canal anatomy of maxillary first and second molars, 291
 Ørstavik, D. *see* Saleh, I.M.
 Özer, F. *see* Ozturk, B.
 Özgöz, M., Yağız, H., Çiçek, Y. & Tezel, A. Gingival necrosis following the use of a paraformaldehyde-containing paste: a case report, 157
 Öztan, M.D. *see* Nalçacı, A.
 Ozturk, B., Özer, F. & Belli, S. An *in vitro* comparison of adhesive systems to seal pulp chamber walls, 297
 Papadimitriou, G.D. *see* Darabara, M.
 Papaioannou, S. *see* Camilleri, J.
 Parashos, P. & Messer, H.H. Questionnaire survey on the use of rotary nickel–titanium endodontic instruments by Australian dentists, 249
 Parashos, P. *see* Linsuwanont, P.
 Parashos, P. *see* Weis, M.V.
 Parirokh, M., Asgary, S., Eghbal, M.J., Stowe, S. & Kakoei, S. A scanning electron microscope study of

- plaque accumulation on silk and PVDF suture materials in oral mucosa, 776
- Paris, S. *see* Bitter, K.
- Park, D.S. *see* Seo, M.S.
- Park, S.H., Hsiao, G.Y.-W. & Huang, G.T.-J. Role of substance P and calcitonin gene-related peptide in the regulation of interleukin-8 and monocyte chemotactic protein-1 expression in human dental pulp, 185
- Pascon, E.A. *see* Sousa, C.J.A.
- Peng, B. *see* Song, Y.L.
- Peters, C.I. *see* Peters, O.A.
- Peters, O.A., Barbakow, F. & Peters, C.I. An analysis of endodontic treatment with three nickel-titanium rotary root canal preparation techniques, 849
- Piattelli, A., Rubini, C., Fioroni, M., Favero, L. & Strocchi, R. Expression of transforming growth factor-beta 1 (TGF-beta 1) in odontogenic cysts, 7
- Piattelli, A., Rubini, C., Fioroni, M., Tripodi, D. & Strocchi, R. Transforming Growth Factor-beta 1 (TGF-beta 1) expression in normal healthy pulps and in those with irreversible pulpitis, 114
- Pilliar, R. *see* Best, S.
- Pinheiro, E.T., Gomes, B.P.F.A., Drucker, D.B., Zaia, A.A., Ferraz, C.C.R. & Souza-Filho, F.J. Antimicrobial susceptibility of *Enterococcus faecalis* isolated from canals of root filled teeth with periapical lesions, 756
- Pitt Ford, T.R. *see* Camilleri, J.
- Poh, R.S.C. *see* Lee, G.P.
- Poh, R.S.C. *see* Lim, M.Y.
- Potouridou, L. *see* Radcliffe, C.E.
- Poyato-Ferrera, M. *see* Jiménez-Pinzón, A.
- Poyato-Ferrera, M. *see* Segura-Egea, J.J.
- Prati, C. *see* Foschi, F.
- Qualtrough, A. *see* Radcliffe, C.E.
- Qureshi, R. *see* Radcliffe, C.E.
- Radcliffe, C.E., Potouridou, L., Qureshi, R., Hababbeh, N., Qualtrough, A., Worthington, H. & Drucker, D.B. Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms *Actinomyces israelii*, *A. naeslundii*, *Candida albicans* and *Enterococcus faecalis*, 438
- Rakusin, H. *see* Field, J.W.
- Regan, J.D. *see* Menhinick, K.A.
- Reit, C. *see* Bjørndal, L.
- Ríos-Santos, J.V. *see* Jiménez-Pinzón, A.
- Ríos-Santos, J.V. *see* Segura-Egea, J.J.
- Rubini, C. *see* Piattelli, A.
- Ruyter, I.E. *see* Saleh, I.M.
- Sabeti, M. *see* Slots, J.
- Sae-Lim, V. *see* Lui, J.N.
- Saka, H. *see* Oi, T.
- Saleh, I.M., Ruyter, I.E., Haapasalo, M. & Ørstavik, D. Survival of *Enterococcus faecalis* in infected dentinal tubules after root canal filling with different root canal sealers *in vitro*, 193
- Santos, M. *see* Okino, L.A.
- Sapiro, S. *see* Grandini, S.
- Schäfer, E. & Vlassis, M. Comparative investigation of two rotary nickel-titanium instruments: ProTaper versus RaCe. Part 1. Shaping ability in simulated curved canals, 229
- Schäfer, E. & Vlassis, M. Comparative investigation of two rotary nickel-titanium instruments: ProTaper versus RaCe. Part 2. Cleaning effectiveness and shaping ability in severely curved root canals of extracted teeth, 239
- Schartner, R. *see* Bitter, K.
- Segura-Egea, J.J., Jiménez-Pinzón, A., Poyato-Ferrera, M., Velasco-Ortega, E. & Ríos-Santos, J.V. Periapical status and quality of root fillings and coronal restorations in an adult Spanish population, 525
- Segura-Egea, J.J. *see* Jiménez-Pinzón, A.
- Seo, M.S. & Park, D.S. C-shaped root canals of mandibular second molars in a Korean population: clinical observation and *in vitro* analysis, 139
- Sert, S., Aslanalp, V. & Tanalp, J. Investigation of the root canal configurations of mandibular permanent teeth in the Turkish population, 494
- Sérvulo, F. *see* Nary Filho, H.
- Setchell, D.J. *see* Bailey, G.C.
- Setchell, D.J. *see* Glennon, J.P.
- Setchell, D.J. *see* Ng, Y.-L.
- Seydaoglu, G. *see* Yoldaş, O.
- Shimono, M. *see* Muramatsu, T.
- Shipper, G., Grossman, E.S., Botha, A.J. & Cleaton-Jones, P.E. Marginal adaptation of mineral trioxide aggregate (MTA) compared with amalgam as a root-end filling material: a low-vacuum (LV) versus high-vacuum (HV) SEM study, 325
- Siqueira, E.L. *see* Okino, L.A.
- Slots, J., Nowzari, H. & Sabeti, M. Cytomegalovirus infection in symptomatic periapical pathosis, 519
- Smith, D. *see* Smith, E.
- Smith, E., Dickson, M., Evans, A.L., Smith, D. & Murray, C.A. An evaluation of the use of tooth temperature to assess human pulp vitality, 374
- Solomon, E.S. *see* Field, J.W.
- Song, K.P. *see* Lui, J.N.
- Song, Y.L., Bian, Z., Fan, B., Fan, M.W., Gutmann, J.L. & Peng, B. A comparison of instrument-centering ability within the root canal for three contemporary instrumentation techniques, 265
- Sousa, C.J.A., Loyola, A.M., Versiani, M.A., Biffi, J.C.G., Oliveira, R.P. & Pascon, E.A. A comparative histological evaluation of the biocompatibility of materials used in apical surgery, 738
- Souza-Filho, F.J. *see* Ferreira, F.B.A.
- Souza-Filho, F.J. *see* Pinheiro, E.T.
- Spratt, D. *see* Adib, V.
- Spratt, D.A. *see* Gulabivala, K.

- Stock, C.J.R. *see* Gulabivala, K.
 Stowe, S. *see* Parirokh, M.
 Strobl, H. *see* Emshoff, R.
 Strocchi, R. *see* Piatelli, A.
 Su, Y.-F. *see* Yang, L.-C.
- Tagami, J. *see* Hiraishi, N.
 Tagger, M. & Katz, A. A standard for radiopacity of root-end (retrograde) filling materials is urgently needed, 260
 Takushige, T., Cruz, E.V., Asgor Moral, A. & Hoshino, E. Endodontic treatment of primary teeth using a combination of antibacterial drugs, 132
 Tanalp, J. *see* Sert, S.
 Taschieri, S., Del Fabbro, M., Francetti, L. & Testori, T. Effect of root-end resection and root-end filling on apical leakage in the presence of core-carrier root canal obturation, 477
 Taylor, S.E. *see* Menhinick, K.A.
 Testori, T. *see* Taschieri, S.
 Tezel, A. *see* Özgöz, M.
 Tobón-Arroyave, S.I., Domínguez-Mejía, J.S. & Flórez-Moreno, G.A. Periosteal grafts as barriers in periradicular surgery: report of two cases, 632
 Tomson, P.L.M., Lea, S.C., Lumley, P.J. & Walmsley, A.D. 2003 Spring Scientific Meeting of the British Endodontic Society, 89
 Tripodi, D. *see* Piatelli, A.
 Tsai, C.-H. *see* Yang, L.-C.
 Tsurumachi, T. Endodontic treatment of an invaginated maxillary lateral incisor with a periradicular lesion and a healthy pulp, 717
 Tulcan, J. *see* Iqbal, M.K.
 Türkün, L.Ş. *see* Türkün, M.
 Türkün, M. & Türkün, L.Ş. Effect of nonvital bleaching with 10% carbamide peroxide on sealing ability of resin composite restorations, 52
 Turner, S.R., Love, R.M. & Lyons, K.M. An *in-vitro* investigation of the antibacterial effect of nisin in root canals and canal wall radicular dentine, 664
 Ünsal, Ç. *see* Demirbaş Kaya, A.
 Valera, M.C. *see* Benetti, A.R.
 Valera, M.C. *see* Menezes, M.M.
 Vaneechoutte, M. *see* Hommez, G.M.G.
 Velasco-Ortega, E. *see* Jiménez-Pinzón, A.
 Velasco-Ortega, E. *see* Segura-Egea, J.J.
- Velvert, P., Ebner-Zimmermann, U. & Ebner, J.P. Comparison of long-term papilla healing following sulcular full thickness flap and papilla base flap in endodontic surgery, 687
 Verhelst, R. *see* Hommez, G.M.G.
 Versiani, M.A. *see* Sousa, C.J.A.
 Vier, F.V. & Figueiredo, J.A.P. Internal apical resorption and its correlation with the type of apical lesion, 730
 Vlassis, M. *see* Schäfer, E.
 Vulcain, J.M. *see* Arbab-Chirani, R.
- Walmsley, A.D. *see* Tomson, P.L.M.
 Wang, Q., Cheung, G.S.P. & Ng, R.P.Y. Survival of surgical endodontic treatment performed in a dental teaching hospital: a cohort study, 764
 Watson, P. *see* Best, S.
 Watzak, G. *see* Gruber, R.
 Watzek, G. *see* Gruber, R.
 Weis, M.V., Parashos, P. & Messer, H.H. Effect of obturation technique on sealer cement thickness and dentinal tubule penetration, 653
 Wesselink, P.R. *see* Lee, S.-J.
 Wood, D.J. *see* Fox, K.
 Worthington, H. *see* Radcliffe, C.E.
 Wu, M.-K. *see* Lee, S.-J.
 Wu, Y.H. *see* Chen, K.L.
- Yağız, H. *see* Özgöz, M.
 Yang, L.-C., Tsai, C.-H., Huang, F.-M., Su, Y.-F., Lai, C.-C., Liu, C.-M. & Chang, Y.-C. Induction of vascular endothelial growth factor expression in human pulp fibroblasts stimulated with black-pigmented *Bacteroides*, 588
 Yared, G. & Kulkarni, G.K. Accuracy of the DTC torque control motor for nickel-titanium rotary instruments, 399
 Yared, G. *see* Best, S.
 Yılmaz, Ş. *see* Nalçacı, A.
 Yoldaş, O., Doğan, C. & Seydaoglu, G. The effect of two different calcium hydroxide combinations on root dentine microhardness, 828
 Youngson, C.C. *see* Bedford, J.M.
 Youngson, C.C. *see* Fox, K.
- Zaia, A.A. *see* Pinheiro, E.T.
 Zinelis, S. *see* Darabara, M.

This document is a scanned copy of a printed document. No warranty is given about the accuracy of the copy. Users should refer to the original published version of the material.