

Author Index

- Abbott, P.V. *see* Kabak, Y.
 Acil, Y. *see* Eberhard, J.
 Aguiar, M.C.F. *see* Loyola, A.M.
 Ahn, S.H. *see* Nam, K.C.
 Akdeniz, B.G. & Soğur, E. An *ex vivo* comparison of conventional and digital radiography for perceived image quality of root fillings, 397
 Akker, H.P. *see* Lindeboom, J.A.H.
 Akpınar, K.E. *see* Er, K.
 Alaçam, T. *see* Kayaoglu, G.
 Al-Ali, K., Marghalani, H., Al-Yahya, A. & Omar, R. An assessment of endodontic re-treatment decision-making in an educational setting, 470
 Alemanno, E. *see* Lendini, M.
 Alfredo, E. *see* Sousa-Neto, M.D.
 Algin, E. *see* Gökay, O.
 Alves, A.M.H., Felipe, M.C.S., Felipe, W.T. & Rocha, M.J.C. *Ex vivo* evaluation of the capacity of the Tri Auto ZX to locate the apical foramen during root canal retreatment, 718
 Al-Yahya, A. *see* Al-Ali, K.
 Antoniazzi, J.H. *see* Felipe, M.C.S.
 Appelbe, O.K. *see* Sedgley, C.M.
 Applegate, B. *see* Sedgley, C.M.
 Araújo, E.B. *see* Santos, A.D.
 Arenas, N. *see* Caviedes-Bucheli, J.
 von Arx, T. Frequency and type of canal isthmuses in first molars detected by endoscopic inspection during periradicular surgery, 160
 Attin, T. *see* Hör, D.
 Aydemir, H. *see* Taşdemir, T.
 Azevedo, R.B. *see* Valois, C.R.A.
 Azuero-Holguin, M.M. *see* Caviedes-Bucheli, J.
 Badertscher, M. *see* Girard, S.
 Bahia, M.G.A., Martins, R.C., Gonzalez, B.M. & Buono, V.T.L. Physical and mechanical characterization and the influence of cyclic loading on the behaviour of nickel-titanium wires employed in the manufacture of rotary endodontic instruments, 795
 Balleri, P. *see* Veltri, M.
 Banegas, G. *see* Zmener, O.
 Barbakow, F. *see* Paqué, F.
 Bargholz, C. Perforation repair with mineral trioxide aggregate: a modified matrix concept, 59
 Barletta, F.B. *see* Masiero, A.V.
 Bate, A.L. *see* Ricucci, D.
 Belli, S., Erdemir, A., Ozcopur, M. & Eskitascioglu, G. The effect of fibre insertion on fracture resistance of root filled molar teeth with MOD preparations restored with composite, 73
 Bergmans, L., Moisiadis, P., Van Meerbeek, B., Quirynen, M. & Lambrechts, P. Microscopic observation of bacteria: review highlighting the use of environmental SEM, 775
 Berutti, E. *see* Lendini, M.
 Bhaskaran, V., Qualtrough, A.J.E., Rushton, V.E., Worthington, H.V. & Horner, K. A laboratory comparison of three imaging systems for image quality and radiation exposure characteristics, 645
 Bian, Z. *see* Cheung, G.S.P.
 Bjørndal, L. & Reit, C. The adoption of new endodontic technology amongst Danish general dental practitioners, 52
 Bjørndal, L. *see* Laustsen, M.H.
 Boessler, C. *see* Peters, O.A.
 Bombana, A.C. *see* Ferrari, P.H.P.
 Botero, T.M. *see* Hernandez, E.P.
 Brennan, P.A. *see* Witton, R.
 Breschi, L. *see* Venturi, M.
 Budd, J.C., Gekelman, D. & White, J.M. Temperature rise of the post and on the root surface during ultrasonic post removal, 705
 Buono, V.T.L. *see* Bahia, M.G.A.
 Cai, S. *see* Ferrari, P.H.P.
 Cai, Z. *see* Kim, J.W.
 Caltabiano, R. *see* Leonardi, R.
 Camilleri, J., Montesin, F.E., Di Silvio, L. & Pitt Ford, T.R. The chemical constitution and biocompatibility of accelerated Portland cement for endodontic use, 834
 Canavan, D. *see* Polycarpou, N.
 Capelli, A. *see* Pecora, J.D.
 Caputi, S. *see* Varvara, G.
 Cardoso, F.P. *see* Rezende, T.M.B.
 Cardoso, S.V. *see* Loyola, A.M.
 Carmo, M.A.V. *see* Loyola, A.M.
 Cavalcanti, B.N., Rode, S.M. & Marques, M.M. Cytotoxicity of substances leached or dissolved from pulp capping materials, 505
 Caviedes-Bucheli, J., Arenas, N., Guiza, O., Moncada, N.A., Moreno, G.C., Diaz, E. & Munoz, H.R. Calcitonin gene-related peptide receptor expression in healthy and inflamed human pulp tissue, 712
 Caviedes-Bucheli, J., Azuero-Holguin, M.M. & Munoz, H.R. The effect of capsaicin on substance P expression in pulp tissue inflammation, 30
 Çelik Ünal, G. *see* Keçeci, A.D.

- Chandler, N.P. *see* Gordon, M.P.J.
- Chang, Y.-C. *see* Huang, F.-M.
- Chazel, J.C., Tramini, P., Valcarcel, J. & Pélissier, B. A comparative analysis of periapical health based on historic and current data, 277
- Chen, Y.-J. *see* Huang, F.-M.
- Cheung, G.S.P., Lai, S.C.N. & Ng, R.P.Y. Fate of vital pulps beneath a metal-ceramic crown or a bridge retainer, 521
- Cheung, G.S.P., Peng, B., Bian, Z., Shen, Y. & Darvell, B.W. Defects in ProTaper S1 instruments after clinical use: fractographic examination, 802
- Cheung, G.S.P. *see* Chu, C.H.
- Cheung, G.S.P. *see* Peng, B.
- Cho, J.H. *see* Nam, K.C.
- Chou, M.-Y. *see* Huang, F.-M.
- Chu, A.-L. *see* ElAyouti, A.
- Chu, C.H., Lo, E.C.M. & Cheung, G.S.P. Outcome of root canal treatment using Therafil and cold lateral condensation filling techniques, 179
- Cisneros-Cabello, R. *see* Segura-Egea, J.J.
- Cook, R. *see* Mannocci, F.
- Coutinho-Filho, T. *see* De Deus, G.
- Creugers, N.H.J. *see* Fokkinga, W.A.
- Cunha, E.M., Fernandes, A.V., Versiani, M.A. & Loyola, A.M. Unicystic ameloblastoma: a possible pitfall in periapical diagnosis, 334
- Dammaschke, T. *see* Schäfer, E.
- Darvell, B.W. *see* Cheung, G.S.P.
- Dasch, W. *see* Lohbauer, U.
- Davies, J.R. *see* Olsson, H.
- De Bruyne, M.A.A. & De Moor, R.J.G. SEM analysis of the integrity of resected root apices of cadaver and extracted teeth after ultrasonic root-end preparation at different intensities, 310
- De Bruyne, M.A.A., De Bruyne, R.J.E., Rosiers, L. & De Moor, R.J.G. Longitudinal study on microleakage of three root-end filling materials by the fluid transport method and by capillary flow porometry, 129
- De Bruyne, M.A.A. *see* Depraet, F.J.H.W.
- De Bruyne, R.J.E. *see* De Bruyne, M.A.A.
- De Deus, G., Ximenes, R., Gurgel-Filho, E.D., Plotkowski, M.C. & Coutinho-Filho, T. Cytotoxicity of MTA and Portland cement on human ECV 304 endothelial cells, 604
- De Moor, R.J.G. *see* De Bruyne, M.A.A.
- De Moor, R.J.G. *see* Depraet, F.J.H.W.
- Depraet, F.J.H.W., De Bruyne, M.A.A. & De Moor, R.J.G. The sealing ability of an epoxy resin root canal sealer after Nd:YAG laser irradiation of the root canal, 302
- Di Silvio, L. *see* Camilleri, J.
- Diaz, E. *see* Caviedes-Bucheli, J.
- Dommsch, H. *see* Eberhard, J.
- Dorman, M.L. *see* Mellor, A.C.
- Dulaimi, S.F. & Wali Al-Hashimi, M.K. A comparison of spreader penetration depth and load required during lateral condensation in teeth prepared using various root canal preparation techniques, 510
- Dullin, C. *see* Hannig, C.
- Dummer, P.M.H. *see* Rahman, S.
- Eberhard, J., Zahl, A., Dommsch, H., Winter, J., Acil, Y. & Jepsen, S. Heat shock induces the synthesis of the inflammatory mediator leukotriene B₄ in human pulp cells, 882
- Ebert, J. *see* Lohbauer, U.
- Ebihara, A., Yoshioka, T. & Suda, H. Garrè's osteomyelitis managed by root canal treatment of a mandibular second molar: incorporation of computed tomography with 3D reconstruction in the diagnosis and monitoring of the disease, 255
- ElAyouti, A., Kimionis, I., Chu, A.-L. & Löst, C. Determining the apical terminus of root-end resected teeth using three modern apex locators: a comparative *ex vivo* study, 827
- Eleftheriadis, G.I. & Lambrianidis, T.P. Technical quality of root canal treatment and detection of iatrogenic errors in an undergraduate dental clinic, 725
- Ellis, R.A. *see* Kim, J.W.
- Er, K., Sümer, Z. & Akpınar, K.E. Apical extrusion of intracanal bacteria following use of two engine-driven instrumentation techniques, 871
- Erdemir, A. *see* Belli, S.
- Erlar, M. *see* Schäfer, E.
- Erten, H. *see* Kayaoglu, G.
- Eskitascioglu, G. *see* Belli, S.
- Esposito, P. *see* Varvara, G.
- Estrela, C. *see* Pecora, J.D.
- Ethunandan, M. *see* Witton, R.
- Evans, N. & Hayes, J. Book review, 943
- Evans, N. & Hayes, J. Book reviews, 943
- Evans, N. Book reviews, 943
- Fallahrastegar, A. *see* Kim, E.
- Felippe, M.C.S., Felipe, W.T., Marques, M.M. & Antoniazzi, J.H. The effect of the renewal of calcium hydroxide paste on the apexification and periapical healing of teeth with incomplete root formation, 436
- Felippe, M.C.S. *see* Alves, A.M.H.
- Felippe, M.C.S. *see* Teixeira, C.S.
- Felippe, W.T. *see* Alves, A.M.H.
- Felippe, W.T. *see* Felipe, M.C.S.
- Felippe, W.T. *see* Teixeira, C.S.
- Fernandes, A.V. *see* Cunha, E.M.
- Ferrari, M. *see* Hiraishi, N.
- Ferrari, P.H.P., Cai, S. & Bombana, A.C. Effect of endodontic procedures on enterococci, enteric bacteria and yeasts in primary endodontic infections, 372
- Ferraz, C.C.R. *see* Vivacqua-Gomes, N.

- Fokkinga, W.A., Le Bell, A.-M., Kreulen, C.M., Lassila, L.V.J., Vallittu, P.K. & Creugers, N.H.J. *Ex vivo* fracture resistance of direct resin composite complete crowns with and without posts on maxillary premolars, 230
- Frenken, J.W.H. *see* Lindeboom, J.A.H.
- Frisk, F. & Hakeberg, M. A 24-year follow-up of root filled teeth and periapical health amongst middle aged and elderly women in Göteborg, Sweden, 246
- Fukumoto, Y. *see* Yoshioka, T.
- Gagliani, M.M., Gorni, F.G.M. & Strohmer, L. Periapical resurgery versus periapical surgery: a 5-year longitudinal comparison, 320
- Gambarini, G. *see* Lohbauer, U.
- Gani, O. *see* Mutal, L.
- Gekelman, D. *see* Budd, J.C.
- Georgopoulou, M.K., Spanaki-Voreadi, A.P., Pantazis, N. & Kontakiotis, E.G. Frequency and distribution of root filled teeth and apical periodontitis in a Greek population, 105
- Girard, S., Paqué, F., Badertscher, M., Sener, B. & Zehnder, M. Assessment of a gel-type chelating preparation containing 1-hydroxyethylidene-1, 1-bisphosphonate, 810
- Girdler, N.M. *see* Mellor, A.C.
- Gökay, O., Müjdecı, A. & Algin, E. *In vitro* peroxide penetration into the pulp chamber from newer bleaching products, 516
- Gomes, B.P.F.A. *see* Vivacqua-Gomes, N.
- Gonzalez, B.M. *see* Bahia, M.G.A.
- Gordon, M.P.J., Love, R.M. & Chandler, N.P. An evaluation of .06 tapered gutta-percha cones for filling of .06 taper prepared curved root canals, 87
- Gorni, F.G.M. *see* Gagliani, M.M.
- Grandini, S. *see* Veltri, M.
- Griggs, J.A. *see* Kim, J.W.
- Guelzow, A., Stamm, O., Martus, P. & Kielbassa, A.M. Comparative study of six rotary nickel-titanium systems and hand instrumentation for root canal preparation, 743
- Guerisoli, D.M.Z. *see* Pecora, J.D.
- Guiza, O. *see* Caviedes-Bucheli, J.
- Gulabivala, K. *see* Hems, R.S.
- Gulabivala, K. *see* Polycarpou, N.
- Gulabivala, K. *see* van Zyl, S.P.
- Gurgel-Filho, E.D. *see* De Deus, G.
- Gurgel-Filho, E.D. *see* Vivacqua-Gomes, N.
- Haapasalo, M. *see* Reynaud af Geijersstam, A.
- Hakeberg, M. *see* Frisk, F.
- Hall, D. *see* Sedgley, C.M.
- Hamano, H. *see* Muramatsu, T.
- Hannig, C., Dullin, C., Hülsmann, M. & Heidrich, G. Three-dimensional, non-destructive visualization of vertical root fractures using flat panel volume detector computer tomography: an *ex vivo in vitro* case report, 904
- Harmer, S. *see* Witton, R.
- Hayes, J. *see* Evans, N.
- Heidrich, G. *see* Hannig, C.
- Hems, R.S., Gulabivala, K., Ng, Y.-L., Ready, D. & Spratt, D.A. An *in vitro* evaluation of the ability of ozone to kill a strain of *Enterococcus faecalis*, 22
- Henthorn, K. *see* Witton, R.
- Hernandez, E.P., Botero, T.M., Mantellini, M.G., McDonald, N.J. & Nör, J.E. Effect of ProRoot® MTA mixed with chlorhexidine on apoptosis and cell cycle of fibroblasts and macrophages *in vitro*, 137
- Highsmith, S. *see* Peters, C.I.
- Hiraishi, N., Papacchini, F., Loushine, R.J., Weller, R.N., Ferrari, M., Pashley, D.H. & Tay, F.R. Shear bond strength of Resilon to a methacrylate-based root canal sealer, 753
- Holst, K.E. *see* Olsson, H.
- Hör, D., Krusy, S. & Attin, T. *Ex vivo* comparison of two electronic apex locators with different scales and frequencies, 855
- Horner, K. *see* Bhaskaran, V.
- Huang, F.-M., Chen, Y.-J., Chou, M.-Y. & Chang, Y.-C. Examination of the signal transduction pathways leading to upregulation of tissue type plasminogen activator by *Porphyrromonas endodontalis* in human pulp cells, 860
- Huang, F.-M., Tsai, C.-H., Chen, Y.-J., Liu, C.-M., Chou, M.-Y. & Chang, Y.-C. Upregulation of tissue-type plasminogen activator in inflamed human dental pulps, 328
- Hülsmann, M. *see* Hannig, C.
- Hülsmann, M. *see* Paqué, F.
- Hur, Y.-Y. *see* Kim, E.
- Hussne, R.P. *see* Sipert, C.R.
- Ikeda, H. *see* Puapichartdumrong, P.
- İnan, U. *see* Taşdemir, T.
- Inoue, T. *see* Muramatsu, T.
- Inoue, T. *see* Nakayama, A.
- Ito, I.Y. *see* Tanomaru-Filho, M.
- Jepsen, S. *see* Eberhard, J.
- Jiménez-Pinzón, A. *see* Segura-Egea, J.J.
- Jung, I.-Y. *see* Kim, E.
- Jung, M., Lommel, D. & Klimek, J. The imaging of root canal obturation using micro-CT, 617
- Kabak, Y. & Abbott, P.V. Prevalence of apical periodontitis and the quality of endodontic treatment in an adult Belarusian population, 238
- Kayaoglu, G., Erten, H. & Ørstavik, D. Growth at high pH increases *Enterococcus faecalis* adhesion to collagen, 389
- Kayaoglu, G., Erten, H., Alaçam, T. & Ørstavik, D. Short-term antibacterial activity of root canal sealers towards *Enterococcus faecalis*, 483
- Keating, A.P. *see* Loftus, J.J.

- Keçeci, A.D., Çelik Ünal, G. & Şen, B.H. Comparison of cold lateral compaction and continuous wave of obturation techniques following manual or rotary instrumentation, 381
- Kielbassa, A.M. *see* Guelzow, A.
- Kijsamanmith, K. *see* Timpawat, S.
- Kikuchi, I. *see* Yoshioka, T.
- Kim, D.W. *see* Nam, K.C.
- Kim, E., Fallahrastegar, A., Hur, Y.-Y., Jung, I.-Y., Kim, S. & Lee, S.-J. Difference in root canal length between Asians and Caucasians, 149
- Kim, J.W., Griggs, J.A., Regan, J.D., Ellis, R.A. & Cai, Z. Effect of cryogenic treatment on nickel-titanium endodontic instruments, 364
- Kim, S. *see* Kim, E.
- Kimionis, I. *see* ElAyouti, A.
- Kishen, A. Periapical biomechanics and the role of cyclic biting force in apical retrograde fluid movement, 597
- Klimek, J. *see* Jung, M.
- Kobayashi, C. *see* da Silva, F.M.
- Kobayashi, C. *see* Yoshioka, T.
- Kobayashi, Ch. *see* Villegas, J.C.
- Kochańska, B. *see* Kusiak, A.
- Koka, R.S. *see* Peters, C.I.
- Kontakiotis, E.G. *see* Georgopoulou, M.K.
- Krage, T.L., Stiefel, A., Stephan, B.M., Zimmer, S., Lambrichts, I. & Raab, W.H.-M. Microhardness changes in dentine after neonatal capsaicin application, 570
- Kreulen, C.M. *see* Fokkinga, W.A.
- Krusey, S. *see* Hör, D.
- Kusiak, A., Sadlak-Nowicka, J., Limon, J. & Kochańska, B. Root morphology of mandibular premolars in 40 patients with Turner syndrome, 822
- Lacey, S., Pitt Ford, T.R., Watson, T.F. & Sherriff, M. A study of the rheological properties of endodontic sealers, 499
- Lai, S.C.N. *see* Cheung, G.S.P.
- Lambrechts, P. *see* Bergmans, L.
- Lambrianidis, T.P. *see* Eleftheriadis, G.I.
- Lambrichts, I. *see* Krage, T.L.
- Lassila, L.V.J. *see* Fokkinga, W.A.
- Laustsen, M.H., Munksgaard, E.C., Reit, C. & Bjørndal, L. A temporary filling material may cause cusp deflection, infractions and fractures in endodontically treated teeth, 653
- Le Bell, A.-M. *see* Fokkinga, W.A.
- Lee, S.-J. *see* Kim, E.
- Lee, S.J. *see* Nam, K.C.
- Lendini, M., Alemanno, E., Migliaretti, G. & Berutti, E. The effect of high-frequency electrical pulses on organic tissue in root canals, 531
- Lennan, S.L. *see* Sedgley, C.M.
- Leonardi, R., Caltabiano, R. & Loreto, C. Collagenase-3 (MMP-13) is expressed in periapical lesions: an immunohistochemical study, 297
- Leonardo, M.R. *see* Tanomaru-Filho, M.
- Limon, J. *see* Kusiak, A.
- Lindeboom, J.A.H., Frenken, J.W.H., Valkenburg, P. & Akker, H.P. The role of preoperative prophylactic antibiotic administration in periapical endodontic surgery: a randomized, prospective double-blind placebo-controlled study, 877
- Lisa, G.S. *see* Loyola, A.M.
- Liu, C.-M. *see* Huang, F.-M.
- Lo, E.C.M. *see* Chu, C.H.
- Loftus, J.J., Keating, A.P. & McCartan, B.E. Periapical status and quality of endodontic treatment in an adult Irish population, 81
- Lohbauer, U., Gambarini, G., Ebert, J., Dasch, W. & Petschelt, A. Calcium release and pH-characteristics of calcium hydroxide plus points, 683
- Lommel, D. *see* Jung, M.
- Loreto, C. *see* Leonardi, R.
- Löst, C. *see* ElAyouti, A.
- Loushine, R.J. *see* Hiraishi, N.
- Love, R.M. *see* Gordon, M.P.J.
- Loyola, A.M., Cardoso, S.V., Lisa, G.S., Oliveira, L.J., Mesquita, R.A., Carmo, M.A.V. & Aguiar, M.C.F. Apoptosis in epithelial cells of apical radicular cysts, 465
- Loyola, A.M. *see* Cunha, E.M.
- Lussi, A. *see* Suter, B.
- McCabe, J.F. *see* Whitworth, J.M.
- McCartan, B.E. *see* Loftus, J.J.
- McDonald, N.J. *see* Hernandez, E.P.
- Mannocci, F., Peru, M., Sherriff, M., Cook, R. & Pitt Ford, T.R. The isthmuses of the mesial root of mandibular molars: a micro-computed tomographic study, 558
- Mannocci, F., Sherriff, M., Watson, T.F. & Vallittu, P.K. Penetration of bonding resins into fibre-reinforced composite posts: a confocal microscopic study, 46
- Mantellini, M.G. *see* Hernandez, E.P.
- Mantovani, L. *see* Veltri, M.
- Marchesan, M.A. *see* Sousa-Neto, M.D.
- Marghalani, H. *see* Al-Ali, K.
- Marques, M.M. *see* Cavalcanti, B.N.
- Marques, M.M. *see* Felipe, M.C.S.
- Martins, R.C. *see* Bahia, M.G.A.
- Martorano, M. *see* Ricucci, D.
- Martus, P. *see* Guelzow, A.
- Masiero, A.V. & Barletta, F.B. Effectiveness of different techniques for removing gutta-percha during retreatment, 2
- Matsuzaka, K. *see* Nakayama, A.
- Meechan, J.G. *see* Whitworth, J.M.
- Mellor, A.C., Dorman, M.L. & Girdler, N.M. The use of an intra-oral injection of ketorolac in the treatment of irreversible pulpitis, 789
- Mesquita, R.A. *see* Loyola, A.M.
- Messer, H.H. *see* Sathorn, C.
- Messer, H.H. *see* Timpawat, S.

- Migliaretti, G. *see* Lendini, M.
- Moisiadis, P. *see* Bergmans, L.
- Moles, D.R. *see* Polycarpou, N.
- Mollo, A. *see* Veltri, M.
- Moncada, N.A. *see* Caviedes-Bucheli, J.
- Montesin, F.E. *see* Camilleri, J.
- Moraes, J.C.S. *see* Santos, A.D.
- Moreno, G.C. *see* Caviedes-Bucheli, J.
- Müjdeci, A. *see* Gökay, O.
- Munksgaard, E.C. *see* Laustsen, M.H.
- Munoz, H.R. *see* Caviedes-Bucheli, J.
- Muramatsu, T., Hamano, H., Ogami, K., Ohta, K., Inoue, T. & Shimono, M. Reduction of osteocalcin expression in aged human dental pulp, 817
- Musch, U. *see* Paqué, F.
- Mutal, L. & Gani, O. Presence of pores and vacuoles in set endodontic sealers, 690
- Myers, P.M. *see* Whitworth, J.M.
- Nagel, A.C. *see* Sedgley, C.M.
- Nakayama, A., Ogiso, B., Tanabe, N., Takeichi, O., Matsuzaka, K. & Inoue, T. Behaviour of bone marrow osteoblast-like cells on mineral trioxide aggregate: morphology and expression of type I collagen and bone-related protein mRNAs, 203
- Nam, K.C., Ahn, S.H., Cho, J.H., Kim, D.W. & Lee, S.J. Reduction of excessive electrical stimulus during electric pulp testing, 544
- Nekoofar, M.H. Endodontic complications after plastic restorations in general practice, 417
- Newcombe, R.G. Commentary: The unit of analysis, and measurement of effect size, 33
- Newcombe, R.G. Reporting of clinical trials in the *IEJ*—the CONSORT guidelines, 1
- Ng, R.P.Y. *see* Cheung, G.S.P.
- Ng, Y.-L. *see* Hems, R.S.
- Ng, Y.-L. *see* Polycarpou, N.
- Ng, Y.-L. *see* van Zyl, S.P.
- Nipattamanon, C. *see* Timpawat, S.
- Nishiyama, C.K. *see* Sipert, C.R.
- Nör, J.E. *see* Hernandez, E.P.
- Ogami, K. *see* Muramatsu, T.
- Ogiso, B. *see* Nakayama, A.
- Ohta, K. *see* Muramatsu, T.
- Oliveira, L.J. *see* Loyola, A.M.
- Olsson, H., Davies, J.R., Holst, K.E., Schröder, U. & Petersson, K. Dental pulp capping: effect of Emdogain Gel on experimentally exposed human pulps, 186
- Omar, R. *see* Al-Ali, K.
- Ørstavik, D. *see* Kayaoglu, G.
- Ozocpur, M. *see* Belli, S.
- Pameijer, C.H. *see* Zmener, O.
- Pantazis, N. *see* Georgopoulou, M.K.
- Papacchini, F. *see* Hiraishi, N.
- Paqué, F., Barbakow, F. & Peters, O.A. Root canal preparation with Endo-Eze AET: changes in root canal shape assessed by micro-computed tomography, 456
- Paqué, F., Musch, U. & Hülsmann, M. Comparison of root canal preparation using RaCe and ProTaper rotary Ni-Ti instruments, 8
- Paqué, F. *see* Girard, S.
- Parashos, P. *see* Sathorn, C.
- Pascon, E.A. *see* Ricucci, D.
- Pashley, D.H. *see* Hiraishi, N.
- Pecora, J.D., Capelli, A., Guerisoli, D.M.Z., Spanó, J.C.E. & Estrela, C. Influence of cervical preflaring on apical file size determination, 430
- Peli, J.F. *see* Perez, F.
- Pélissier, B. *see* Chazel, J.C.
- Peng, B., Shen, Y., Cheung, G.S.P. & Xia, T.J. Defects in ProTaper S1 instruments after clinical use: longitudinal examination, 550
- Peng, B. *see* Cheung, G.S.P.
- Perez, F., Schoumacher, M. & Peli, J.F. Shaping ability of two rotary instruments in simulated canals: stainless steel ENDOfash and nickel-titanium HERO Shaper, 637
- Perinetti, G. *see* Varvara, G.
- Peru, M. *see* Mannocci, F.
- Peters, C.I., Koka, R.S., Highsmith, S. & Peters, O.A. Calcium hydroxide dressings using different preparation and application modes: density and dissolution by simulated tissue pressure, 889
- Peters, O.A., Boessler, C. & Zehnder, M. Effect of liquid and paste-type lubricants on torque values during simulated rotary root canal instrumentation, 223
- Peters, O.A. *see* Paqué, F.
- Peters, O.A. *see* Peters, C.I.
- Petersson, K. *see* Olsson, H.
- Petschelt, A. *see* Lohbauer, U.
- Pini, P. *see* Veltri, M.
- Pitt Ford, T.R. *see* Camilleri, J.
- Pitt Ford, T.R. *see* Lacey, S.
- Pitt Ford, T.R. *see* Mannocci, F.
- Plotkowski, M.C. *see* De Deus, G.
- Poliseli-Neto, A. *see* Tanomaru-Filho, M.
- Polycarpou, N., Ng, Y.-L., Canavan, D., Moles, D.R. & Gulabivala, K. Prevalence of persistent pain after endodontic treatment and factors affecting its occurrence in cases with complete radiographic healing, 169
- Poyato-Ferrera, M. *see* Segura-Egea, J.J.
- Puapichardumrong, P., Ikeda, H. & Suda, H. Influence of the pulpal components on human dentine permeability *in vitro*, 152
- Qualtrough, A.J.E. *see* Bhaskaran, V.
- Quirynen, M. *see* Bergmans, L.
- Raab, W.H.-M. *see* Krage, T.L.
- Rahman, S., Whitworth, J.M. & Dummer, P.M.H. CarisolvTM: an alternative to NaOCl in immature root canals?, 448

- Ramlee, R.A.M. *see* Whitworth, J.M.
- Ravanshad, S. *see* Safi, L.
- Ready, D. *see* Hems, R.S.
- Regan, J.D. *see* Kim, J.W.
- Reit, C. *see* Bjørndal, L.
- Reit, C. *see* Laustsen, M.H.
- Reynaud af Geijersstam, A., Sorsa, T., Stackelberg, S., Tervahartiala, T. & Haapasalo, M. Effect of *E. faecalis* on the release of serine proteases elastase and cathepsin G, and collagenase-2 (MMP-8) by human polymorphonuclear leukocytes (PMNs), 667
- Rezende, T.M.B., Vargas, D.L., Cardoso, F.P., Sobrinho, A.P.R. & Vieira, L.Q. Effect of mineral trioxide aggregate on cytokine production by peritoneal macrophages, 896
- Ricucci, D., Martorano, M., Bate, A.L. & Pascon, E.A. Calculus-like deposit on the apical external root surface of teeth with post-treatment apical periodontitis: report of two cases, 262
- Riitano, F. Anatomic Endodontic Technology (AET) – a crown-down root canal preparation technique: basic concepts, operative procedure and instruments, 575
- Ríos-Santos, J.V. *see* Segura-Egea, J.J.
- Rocha, M.J.C. *see* Alves, A.M.H.
- Rode, S.M. *see* Cavalcanti, B.N.
- Rosiers, L. *see* De Bruyne, M.A.A.
- Rushton, V.E. *see* Bhaskaran, V.
- Sadlak-Nowicka, J. *see* Kusiak, A.
- Safi, L. & Ravanshad, S. Continued root formation of a pulpless permanent incisor following root canal treatment: a case report, 489
- Santos, A.D., Moraes, J.C.S., Araújo, E.B., Yukimitu, K. & Valério Filho, W.V. Physico-chemical properties of MTA and a novel experimental cement, 443
- Sathorn, C., Parashos, P. & Messer, H.H. Effectiveness of single- versus multiple-visit endodontic treatment of teeth with apical periodontitis: a systematic review and meta-analysis, 347
- Schäfer, E., Erler, M. & Dammaschke, T. Influence of different types of automated devices on the shaping ability of rotary nickel-titanium FlexMaster instruments, 627
- Schoumacher, M. *see* Perez, F.
- Schröder, U. *see* Olsson, H.
- Sedgley, C.M., Lennan, S.L. & Appelbe, O.K. Survival of *Enterococcus faecalis* in root canals *ex vivo*, 735
- Sedgley, C.M., Nagel, A.C., Hall, D. & Applegate, B. Influence of irrigant needle depth in removing bioluminescent bacteria inoculated into instrumented root canals using real-time imaging *in vitro*, 97
- Segura-Egea, J.J., Jiménez-Pinzón, A., Ríos-Santos, J.V., Velasco-Ortega, E., Cisneros-Cabello, R. & Poyato-Ferrera, M. High prevalence of apical periodontitis amongst type 2 diabetic patients, 564
- Şen, B.H. *see* Keçeci, A.D.
- Sener, B. *see* Girard, S.
- Sequeira, P. *see* Suter, B.
- Shen, Y. *see* Cheung, G.S.P.
- Shen, Y. *see* Peng, B.
- Sherriff, M. *see* Lacey, S.
- Sherriff, M. *see* Mannocci, F.
- Shimono, M. *see* Muramatsu, T.
- Silva Coelho, F.I. *see* Sousa-Neto, M.D.
- da Silva, F.M., Kobayashi, C. & Suda, H. Analysis of forces developed during mechanical preparation of extracted teeth using RaCe rotary instruments and ProFiles, 17
- Silva, L.A.B. *see* Tanomaru-Filho, M.
- Silva, L.P. *see* Valois, C.R.A.
- Silva-Sousa, Y.T.C. *see* Sousa-Neto, M.D.
- Sipert, C.R., Hussne, R.P., Nishiyama, C.K. & Torres, S.A. *In vitro* antimicrobial activity of Fill Canal, Sealapex, Mineral Trioxide Aggregate, Portland cement and EndoRez, 539
- van der Sluis, L.W.M., Wu, M.-K. & Wesselink, P.R. A comparison between a smooth wire and a K-file in removing artificially placed dentine debris from root canals in resin blocks during ultrasonic irrigation, 593
- van der Sluis, L.W.M., Wu, M.-K. & Wesselink, P.R. The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from human root canals prepared using instruments of varying taper, 764
- Smith, J. *see* Whitworth, J.M.
- Sobrinho, A.P.R. *see* Rezende, T.M.B.
- Soğur, E. *see* Akdeniz, B.G.
- Sorsa, T. *see* Reynaud af Geijersstam, A.
- Sousa-Neto, M.D., Silva Coelho, F.I., Marchesan, M.A., Alfredo, E. & Silva-Sousa, Y.T.C. *Ex vivo* study of the adhesion of an epoxy-based sealer to human dentine submitted to irradiation with Er : YAG and Nd : YAG lasers, 866
- Souza-Filho, F.J. *see* Vivacqua-Gomes, N.
- Spanaki-Voreadi, A.P. *see* Georgopoulou, M.K.
- Spanó, J.C.E. *see* Pecora, J.D.
- Spratt, D.A. *see* Hems, R.S.
- Stackelberg, S. *see* Reynaud af Geijersstam, A.
- Stamm, O. *see* Guelzow, A.
- Stephan, B.M. *see* Krage, T.L.
- Stiefel, A. *see* Krage, T.L.
- Strohmenger, L. *see* Gagliani, M.M.
- Suda, H. *see* da Silva, F.M.
- Suda, H. *see* Ebihara, A.
- Suda, H. *see* Puapichardumrong, P.
- Suda, H. *see* Villegas, J.C.
- Suda, H. *see* Yoshioka, T.
- Sümer, Z. *see* Er, K.
- Suter, B., Lussi, A. & Sequeira, P. Probability of removing fractured instruments from root canals, 112
- Takeichi, O. *see* Nakayama, A.
- Tanabe, N. *see* Nakayama, A.

- Tanomaru, J.M.G. *see* Tanomaru-Filho, M.
- Tanomaru-Filho, M., Polisel-Neto, A., Leonardo, M.R., Silva, L.A.B., Tanomaru, J.M.G. & Ito, I.Y. Methods of experimental induction of periapical inflammation. Microbiological and radiographic evaluation, 477
- Taşdemir, T., Aydemir, H., İnan, U. & Ünal, O. Canal preparation with Hero 642 rotary Ni-Ti instruments compared with stainless steel hand K-file assessed using computed tomography, 402
- Tay, F.R. *see* Hiraishi, N.
- Teixeira, C.S., Felipe, M.C.S. & Felipe, W.T. The effect of application time of EDTA and NaOCl on intracanal smear layer removal: an SEM analysis, 285
- Tervahartala, T. *see* Reynaud af Geijersstam, A.
- Timpawat, S., Nipattamanon, C., Kijssamanmith, K. & Messer, H.H. Effect of bleaching agents on bonding to pulp chamber dentine, 211
- Torres, S.A. *see* Sipert, C.R.
- Traini, T. *see* Varvara, G.
- Tramini, P. *see* Chazel, J.C.
- Tsai, C.-H. *see* Huang, F.-M.
- Ünal, O. *see* Taşdemir, T.
- Valcarcel, J. *see* Chazel, J.C.
- Valério Filho, W.V. *see* Santos, A.D.
- Valkenburg, P. *see* Lindeboom, J.A.H.
- Vallittu, P.K. *see* Fokkinga, W.A.
- Vallittu, P.K. *see* Mannocci, F.
- Valois, C.R.A., Silva, L.P. & Azevedo, R.B. Effects of 2% chlorhexidine and 5.25% sodium hypochlorite on gutta-percha cones studied by atomic force microscopy, 425
- Van Meerbeek, B. *see* Bergmans, L.
- Vargas, D.L. *see* Rezende, T.M.B.
- Varvara, G., Traini, T., Esposito, P., Caputi, S. & Perinetti, G. Copper-zinc superoxide dismutase activity in healthy and inflamed human dental pulp, 195
- Velasco-Ortega, E. *see* Segura-Egea, J.J.
- Veltri, M., Mollo, A., Mantovani, L., Pini, P., Balleri, P. & Grandini, S. A comparative study of Endoflare-Hero Shaper and Mtwo NiTi instruments in the preparation of curved root canals, 610
- Venturi, M. & Breschi, L. A comparison between two electronic apex locators: an *in vivo* investigation, 36
- Versiani, M.A. *see* Cunha, E.M.
- Vieira, L.Q. *see* Rezende, T.M.B.
- Villegas, J.C., Yoshioka, T., Kobayashi, Ch. & Suda, H. Intracanal temperature rise evaluation during the usage of the System B: replication of intracanal anatomy, 218
- Vivacqua-Gomes, N., Gurgel-Filho, E.D., Gomes, B.P.F.A., Ferraz, C.C.R., Zaia, A.A. & Souza-Filho, F.J. Recovery of *Enterococcus faecalis* after single- or multiple-visit root canal treatments carried out in infected teeth *ex vivo*, 697
- Wali Al-Hashimi, M.K. *see* Dulaimi, S.F.
- Walls, A.W.G. *see* Whitworth, J.M.
- Watson, T.F. *see* Lacey, S.
- Watson, T.F. *see* Mannocci, F.
- Weller, R.N. *see* Hiraishi, N.
- Wesselink, P.R. *see* van der Sluis, L.W.M.
- White, J.M. *see* Budd, J.C.
- Whitworth, J.M., Myers, P.M., Smith, J., Walls, A.W.G. & McCabe, J.F. Endodontic complications after plastic restorations in general practice, 409
- Whitworth, J.M., Ramlee, R.A.M. & Meechan, J.G. Pressures generated *in vitro* during Stabident intraosseous injections, 291
- Whitworth, J.M. *see* Rahman, S.
- Winter, J. *see* Eberhard, J.
- Witton, R., Henthorn, K., Ethunandan, M., Harmer, S. & Brennan, P.A. Neurological complications following extrusion of sodium hypochlorite solution during root canal treatment, 843
- Worthington, H.V. *see* Bhaskaran, V.
- Wu, M.-K. *see* van der Sluis, L.W.M.
- Xia, T.J. *see* Peng, B.
- Ximenes, R. *see* De Deus, G.
- Yoshioka, T., Kikuchi, I., Fukumoto, Y., Kobayashi, C. & Suda, H. Detection of the second mesiobuccal canal in mesiobuccal roots of maxillary molar teeth *ex vivo*, 124
- Yoshioka, T. *see* Ebihara, A.
- Yoshioka, T. *see* Villegas, J.C.
- Yukimitu, K. *see* Santos, A.D.
- Zahl, A. *see* Eberhard, J.
- Zaia, A.A. *see* Vivacqua-Gomes, N.
- Zehnder, M. *see* Girard, S.
- Zehnder, M. *see* Peters, O.A.
- Zimmer, S. *see* Krage, T.L.
- Zmener, O., Pameijer, C.H. & Banegas, G. Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study, 356
- van Zyl, S.P., Gulabivala, K. & Ng, Y.-L. Effect of customization of master gutta-percha cone on apical control of root filling using different techniques: an *ex vivo* study, 658

This document is a scanned copy of a printed document. No warranty is given about the accuracy of the copy. Users should refer to the original published version of the material.