

Author Index

- Ackerman, N.A., 17
 Ahlstrom, R.H., 73
 Albakry, M., 141
 Anastasiadou, V., 42, 150, 233
 Araújo, É., 28
 Ashcraft-Olmscheid, D.L., 47
 Barnes, C.M., 166
 Barzilay, I., 3
 Ben-Hanan, U., 3
 Bowley, J., 55
 Boyer, D., 83
 Cagna, D.R., 221
 Caputo, A.A., 214
 Chang, M.W.B., 47
 Choi, M., 101
 Chung, C.-Y., 221
 Chung, K.-H., 221
 Covey, D.A., 166
 Cronin Jr., R.J., 221
 Dawson, D.V., 83, 227
 de Sa e Frias, V., 104
 de Souza Júnior, J.A., 173
 Del Bel Cury, A.A., 173
 Diaz-Arnold, A.M., 227
 Driscoll, C.F., 101, 184
 Engelmeier, R.L., 195
 Ercoli, C., 3
 Fanuscu, M.I., 214
 Felton, D.A., 71
 Filho, A.M., 28
 Fok, S.L., 90
 Funkenbusch, P.D., 3
 Galindo, D.F., 3
 Garcia, R.C.M.R., 173
 Goto, M., 179
 Graser, G.N., 3
 Grbic, J.T., 244
 Greene, T.D., 3
 Guarinos-Carbó, J., 187
 Guazzato, M., 141
 Guichet, G.N., 73
 Haselton, D.R., 227
 Ihara, K., 179
 Ismail, Y.H., 52
 Johnson, W.W., 166
 Jones, R.E., 17
 Kapari, D., 42, 150, 233
 Koumjian, J.H., 73
 Kronström, M., 160
 Kukunas, S., 52
 Lamster, A.I.B., 244
 Lee, H.-J., 3
 Lindquist, T., 83
 Mansueto, M.A., 17
 Masri, R., 184
 McGarry, T.J., 73
 Michalakakis, K.X., 42, 150, 233
 Monteiro Júnior, S., 28
 Moss, M.E., 3
 Nimmo, A., 73
 Noguchi, N., 179
 Ojha, A., 47
 Parvizi, A., 83
 Peñarrocha-Diogo, M., 187
 Phoenix, R.D., 17
 Pipko, D.J., 52
 Pissiotis, A., 42, 150, 233
 Priest, G., 111
 Priest, J., 111
 Proussaefs, P., 36
 Psillakis, J.J., 244
 Rached, R.N., 173
 Romeed, S.A., 90
 Ross, J.A., 166
 Ruder, G.A., 192
 Söderfeldt, B., 160
 Schneider, R., 83
 Shikimori, M., 179
 Skiba, J.F., 73
 Smith, C.R., 73
 Soultanis, I., 47
 Starcke, E.N., 118
 Suzuki, S., 238
 Tan, P.L.B., 192
 Taylor, T.D., 251
 Toothaker, R., 47, 55, 104
 Trulsson, M., 160
 Tsuji, M., 179
 Uribe-Origone, R., 187
 Vieira, L.C.C., 28
 Vincent Swain, M., 141
 Walker, M.P., 166
 Williamson, A.E., 55
 Williamson, D., 83
 Williamson, R.A., 55
 Wilson, N.H.F., 90
 Wright, R.F., 104, 244
 Yamashita, Y., 179

Subject Index

- Abutments, 47-51
 ACP classification system for partial edentulism, 73-82
 Acrylic resin prosthetic teeth, 238-243
 Acrylic resins, 83-89, 173-178
 Adaptation, 17-27, 104-110
 Adhesion, 28-35
 Age and the effects of the loss of teeth on diet and nutrition, 104-110
 Airpolishing, 166-172
 Alumina plunger, 141-149
 Aluminum maxillary edentulous arch, 83-89
 Aluminum trihydroxide polishing powder, 166-172
 ANOVA, 17-27
 Anterior teeth, 28-35
 Articulators, 42-46, 55-61, 118-128
 Attachment systems for implant overdentures, 221-226
 Retention characteristics of, 221-226
 Attachment systems, 214-220
 Axial-occlusal area, 36-41
 Babbush, Dental Implants: The Art and Science, 273-274
 Baseline measurements of surface roughness, 227-232
 Basis of a shortened dental arch concept, 104-110
 Bengel, Mastering Dental Photography, 62
 Biaxial flexural strength, 141-149
 Biomechanics, 90-100
 Bite registration materials, 42-46, 150-159, 233-237
 Bladed teeth, 55-61
 Blindness, 101-103
 Block, Color atlas of dental implant surgery, 129-130
 Bruxism, 184-186
 Bucco-lingual dimensions, 3-16

- Bur design, 3-16
 Bur durability, 3-16
- Cantilever fixed partial dentures, 90-100
 Cementation, 36-41
 Cements, 36-41
 Centric recording, 55-61
 Centric relation, 55-61
 Ceramic crowns, 111-117
 Ceramic veneers, 111-117
 Charge-coupled device (CCD) cameras, 179-183
 Chewing ability, 160-165
 Clasp surveyor, 195-202
 Classification system for the completely dentate patient, 73-82
 Cleanser, 173-178
 Cobalt, 173-178
 Cobalt-chromium alloys (Co-Cr), 173-178
 Coefficient of variation (CV), 28-35
 Color stability testing, 17-27
 Combination of teeth and implants, 160-165
 Commercial aluminum airpolishing powder, 166-172
 Complete dentures, 83-89
 Completely dentate patient, 73-82
 Classification system for, 73-82
 Composite resin (CR) cements, 36-41
 Computer numerical controlled (CNC) machine, 179-183
 Computer-aided design and manufacturing (CAD/CAM), 179-183
 Conventional and channeled diamond burs, 3-16
 Effect of different variables on, 3-16
 Conventional pressure-pack acrylic resin, 83-89
 Corneal abrasion, 101-103
 Crowns, 36-41, 141-149
 Custom eyelid implant prosthesis *Also see* Eyelid implant, 101-103
 Cutting efficiency and bur longevity, 3-16
 Cutting efficiency, 3-16
 Cyanoacrylate adhesive, 28-35
- Deflasking process, 17-27
 Dental alloys, 173-178
 Dental care, 111-117
 Dental cast, 192-194
 Dental education, 73-82
 Dental implant screw fracture, 52-54
 Dental implants, 111-117, 160-165, 184-186
 Dental materials, 83-89
 Dental prosthesis, 83-89
 Dental restorative materials, 166-172
 Dental surveyor, 195-202
 Dental technology, 47-51
 Dentin, 3-16
 Dentin-enamel thickness, 3-16
 Denture adhesive using a Gnathometer, 244-250
 Evaluation of, 244-250
 Denture adhesive, 244-250
 Denture base resins, 17-27
 Mechanical properties, 17-27
 Thermal properties, 17-27
 Dentures, 111-117
- See also* Denture bases, 83-89
See also Denture cleansers, 173-178
See also Denture teeth, 238-243
 Diagnostic criteria, 73-82
 Tooth condition, 73-82
 Occlusal scheme, 73-82, benefits of, 73-82
 Improved interoperator consistency, 73-82
 Improved professional communication, 73-82
 Insurance reimbursement commensurate with complexity of care, 73-82
 An objective method for patient screening in dental education, 73-82
 Standardized criteria suitable for use in outcomes assessment and research, 73-82
 Improved diagnostic consistency dentate patient: tooth condition and occlusal scheme, 73-82
 Simplified, organized aid in the decision-making process associated with referral, 73-82
- Diamond burs, 3-16
 Diamond grit, 3-16
 Differential scanning calorimetry, 17-27
 Dimensional accuracy, 83-89
 Double cross-linking (DCL), 238-243
 Dowel fabrication, 52-54
 Dynamic mechanical analysis, 17-27
- Edentulous mandible, 47-51
 Effects of bur design, 3-16
 Eichentopf Articulators, 118-128
 Elastomeric interocclusal recording media, 42-46, 150-159
 Elastomeric interocclusal registration, 233-237
 Eliades et al, Dental Materials In Vivo: Aging and Related Phenomena, 130-131
 Enamel, 3-16
 Energy-dispersive spectroscopy (EDS), 3-16
 Esthetic procedures in the prosthodontic practice, 111-117
 Evaluations of change from baseline after storage in solution, 227-232
 Evolution, 104-110
 External oblique ridges, 55-61
 Eyelid, 101-103
- Fabrication of a custom eyelid implant prosthesis, 101-103
 Facial defects, 179-183
 Facial esthetics, 101-103
 Feine & Carlsson, Implant Overdentures: The Standard of Care for Edentulous Patients, 274-277
 Fisher's least significant difference test, 17-27
 Fixed partial denture (FPD), 90-100, 111-117
 Fixed prostheses, 160-165
 Fixed prosthodontics, 192-194
 Flat plane teeth, 55-61
 Flexural testing, 17-27
 Fracture toughness anisotropy
 Francischone & Vasconcelos, Metal-Free Esthetic Restorations, PROCERA Concept, 2nd edition, 207-208
 Frenum extensions, 55-61

- Gingival masque, 192-194
Glass transition temperature, 17-27
Gnathometer, 244-250
Gold weight *Also see* Eyelid implant, 101-103
Gothic arch tracing, 55-61
Gritblasting, 28-35
Gürel, The Science and Art of Porcelain Laminate Veneers, 204-206
- Handpiece cooling, 3-16
Handpiece speed, 3-16
Handpiece torque, 3-16
Hardness testing, 17-27
History and development of the dental surveyor, 195-202
Hot-pressed ceramic, 28-35
Hydrocolloid impression, 101-103
Hydrofluoric (HF) acid etching, 28-35
- Implant prosthesis, 47-51
Implant prosthodontics, 52-54
Implant retained overdenture, 47-51, 47-51
Implant supported prostheses (ISP), 160-165
Implant-assisted maxillary overdenture, 214-220
Implant-retained bar, 184-186
Implant-retained overdenture, 221-226
Implant-supported rehabilitation, 187-191
Injection molding, 83-89
Injection-molded denture base materials, 83-89
Injection-molded PMMA, 83-89
Inlays, 141-149
Intaglio surface, 47-51
Intercuspation position, 55-61
Interocclusal recording media, 42-46, 150-159, 233-237
Interocclusal registration, materials for, 42-46
 Plaster, 42-46
 Modeling compound, 42-46
 Waxes, 42-46
 Acrylic resin, 42-46
 Zinc oxide-eugenol pastes, 42-46
Interpenetrating polymer networks (IPN), 238-243
Interproximal grooves, 36-41
Intraoral central-bearing gothic, 55-61
Intraoral framework, 47-51
Intrapulpal temperature, 3-16
Intrapulpal tissue damage, 3-16
Ivory tooth, 36-41
- Jaw joints, 104-110
Jawbone, 160-165
- Keratitis, 101-103
Knoop hardness tests (KHN), 238-243
Kruskal-Wallis ranks test, 36-41
- Lagophthalmos *See also* Eyelid implant, 101-103
Leucite, 141-149
Linear dimensional change and accompanying weight change, 150-159
Linear occlusion, 55-61
Linear variable differential transformer (LVDT), 3-16
- Lithium disilicate, 141-149
Load transfer, 214-220
Localized adjunctive therapy, 73-82
Lost-wax technique, 101-103
- Mammalian jaws, 104-110
Mammalian stomatognathic system, 104-110
Mandibular dysfunction syndrome, 104-110
Mandibular edentulous ridge, 55-61
Mandibular prosthesis stability, 55-61
Mann-Whitney ranks test, 36-41
Mann-Whitney U test, 36-41
Manufacturing system, 179-183
Massad, 55-61
Masticatory system, 104-110
 Evolution of, 104-110
Maxillary anterior tooth position, 55-61
Maxillary canine, 90-100
Maxillary posterior palatal seal area, 17-27
Maxillary sinus, 187-191
Maxillofacial prosthesis, 179-183
Mean surface roughness (Ra), 227-232
Mechanical failure of an implant-retained bar, 184-186
Mechanoreceptors, 160-165
Mesh generation, 90-100
Mesio-distal dimensions, 3-16
Metal-ceramic restorations, 28-35
Methylmethacrylate (MMA), 238-243
Microcracking, 141-149
Microleakage, 28-35
Microstructure changes, 141-149
Microtensile bond strengths, 28-35
Microtensile test, 28-35
Microwave-cured acrylic resin, 173-178
Mikhail, Craniofacial Distraction Osteogenesis, 66-67
Milling machine, 36-41, 179-183
Moderately compromised occlusal scheme, 73-82
Molar teeth, 3-16
Monoplane occlusal scheme, 55-61
Mount, An Atlas of Glass-Ionomer Cements, A Clinician's Guide, 3rd edition, 64-66
Mucosa, 160-165
Muscle tonicity, 55-61
Muscular components, 104-110
Mylohyoid ridges, 55-61
- Nano-composite, 238-243
Non-contact three-dimensional laser morphological measurement systems, 179-183
Noninterceptive occlusion, 55-61
- Occluding posterior teeth, 55-61
Occlusal characteristics, 73-82
Occlusal contact, 55-61
Occlusal convergence, 36-41
Occlusal device, 184-186
Occlusal loading, 90-100
Occlusal plane selection, 55-61
Occlusal pressure, 55-61

- Occlusal scheme, 73-82
 Ideal or minimally compromised occlusal scheme, 73-82
 Substantially compromised occlusal scheme, 73-82
 Severely compromised occlusal scheme, 73-82
 Occlusion, 214-220, 244-250
 Occlusions, types of, 55-61
 One-dimensional (linear), 55-61
 Two-dimensional (flat plane), 55-61
 Three-dimensional (cusped), 55-61
 One-way analysis of variance (ANOVA), 141-149
 Onlays, 141-149
 Opposing axial walls, 36-41
 Oral function, 104-110, 160-165
 Osseous, 104-110
 Outcomes assessment, 73-82
 Overdenture, 47-51, 184-186
- Palatal bone, 187-191
 Palate of a maxillary denture, 83-89
 Palmer et al, Implants in Clinical Dentistry, 277-278
 Paralleling instrument, 195-202
 Parallelometer, 195-202
 Paranasal angulation of implants, 187-191
 Partial edentulism, 73-82
 Patient evaluation, 160-165
 Patient risk profiles, 73-82
 Periodontal, 104-110
 Photoelastic analysis, 214-220, 244-250
 Photopolymerized acrylic resin, 36-41
 Physical properties of several interocclusal recording media, 150-159
 Plane of occlusion, 55-61
 Pneumatic press furnace, 141-149
 Pneumatization, 187-191
 Polish, 227-232
 Polishing dental restorations, 166-172
 Polyether, 42-46
 Polymerization shrinkage, effects of, 83-89
 Polymerization, 17-27
 Polymethyl Methacrylate (PMMA), 17-27
 Polymethyl methacrylate denture base resins, 17-27
 Polyvinylsiloxane (PVS), 36-41, 192-194
 Porcelain fused to metal (PFM), 90-100
 Porcelain teeth, 55-61
 Porcelain-porcelain occlusion, 55-61
 Posterior anatomic teeth, 55-61
 Posterior edentulism, 104-110
 Potential benefits of the clinical system, 73-82
 Improved intraoperator consistency, 73-82
 Improved professional communication, 73-82
 Insurance reimbursement commensurate with complexity of care, 73-82
 Improved screening tool for dental school admission clinics, 73-82
 Standardized criteria for outcomes assessment and research, 73-82
 Enhanced diagnostic consistency, 73-82
 Simplified aid in the decision-making process associated with referral, 73-82
 Premolar teeth, 3-16
 Prosthodontic treatment, 73-82
- Prosthodontics and satisfying the esthetic need, 111-117
 Prosthodontics, 73-82, 104-110
 Prosthodontist, 111-117
 Prosthodontists and esthetic marketing, 111-117
 Provisional crown, 227-232
 Pterygoid implants, 187-191
 Pterygomaxillary implants, 187-191
 Pulp chamber, 3-16
- Quality assurance, 73-82
 Quality of life, 160-165
- Removable partial denture (RPD), 173-178
 Repressing, 141-149
 Resin adhesion, 28-35
 Resin microtensile bond strength, 28-35
 Resin modified glass ionomer (RMGI), 36-41
 Resin systems, 17-27
 Resin-ceramic adhesion, 28-35
 Resistance to compression, 233-237
 Restorative dentistry, 73-82
 Retention groupings, 221-226
 Retention, 221-226
 Retrofitting a cast dowel-core on salvaged dental implants, 52-54
 Retrofitting an existing implant overdenture, 47-51
 Retromolar pads intraorally, 55-61
 Root canal, 3-16
- Scanning electron microscopy (SEM), 28-35
 Sclar, Soft Tissue and Esthetic Considerations in Implant Therapy, 206-207
 Scortecchi, Implants and Restorative Dentistry, 132-134
 SEM microphotographs, 3-16
 Seventh cranial nerve, 101-103
 Severe maxillary atrophy, 187-191, 187-191
 Severely atrophic maxilla, 187-191
 Shore D Durometer, 17-27
 Shortened dental arch (SDA), 90-100
 Silane-coupling agents, 28-35
 Silanization of porcelain, 28-35
 Silicones, properties of, 42-46
 Sinus hyperpneumatization, 187-191
 Soft tissue masque, 192-194
 Solubility testing, 17-27
 Sorption testing, 17-27
 Standardized crown fabrication, 36-41
 Stanley, Sedation: A Guide to Patient Management, 4th edition, 63-64
 Stomatognathic system, 104-110
 Stress distribution, 90-100, 214-220, 244-250
 Subjective experience of mastication in patients with an SDA, 104-110
 Substantially compromised occlusal scheme, 73-82
 Substantially compromised tooth condition, 73-82
 Surface contact, 55-61
 Surface roughness and hardness, 173-178
 Surface roughness of provisional crown and fixed partial denture materials, 227-232
 Effect of storage solution on, 227-232

- Surface roughness, 227-232
Surface treatment, 28-35
- Tarsorrhaphy, 101-103
Teflon mold, 150-159
Temporomandibular disorders (TMD), 73-82
Temporomandibular joint function, 104-110
Thermal analysis, 17-27
Thermocouple, 3-16
Three-dimensional finite element analysis, 90-100
Titanium, 173-178
Tooth conditions, 73-82
 Ideal or minimally compromised tooth condition, 73-82
 Moderately compromised tooth condition, 73-82
 Substantially compromised tooth condition, 73-82
 Severely compromised tooth condition, 73-82
Tooth cutting, 3-16
Tooth preparation, 3-16
Tooth- and implant supported fixed prostheses (TISP), 160-165
Total occlusal convergence (TOC), 36-41
Touati, Esthetic Dentistry and Ceramic Restorations, 134-135
Transzygomatic implants, 187-191
Treatment for lagophthalmos, 101-103
 Ointments, 101-103
 Eye drops, 101-103
 Taping, 101-103
- Tarsorrhaphy, 101-103
Eyelid implant, 101-103
Treatment outcomes, 73-82
Treatment planning, 73-82
Treatment with fixed prostheses supported by implants, 160-165
Tukey's honest significant difference (HSD) test, 42-46
Two recycled pressable glass ceramics, 141-149
- Urethane dimethacrylate(UDMA), 238-243
- Vertical locking screws, 160-165
Visual analog scale (VAS), 160-165
- Wear of nano-composite denture teeth, 238-243
Weibull modulus, 141-149
Wray et al, Textbook of General and Oral Medicine, 203-204
- X-ray diffraction, 141-149
- Zinc oxide and eugenol (ZOE), 36-41
Zinc oxide eugenol
 Cement, 36-41
 Paste, 42-46
Zinc phosphate (ZPh), 36-41
Zinner et al, Implant Dentistry: From Failure to Success, 278-279
Zygomatic fixtures, 187-191

Copyright of Journal of Prosthodontics is the property of Blackwell Publishing Limited. The copyright in an individual article may be maintained by the author in certain cases. Content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.