

PDFlib PLOP: PDF Linearization, Optimization, Protection

Page inserted by evaluation version
www.pdflib.com – sales@pdflib.com

A Conceptual Framework for Hispanic Oral Health Care

Gloria C. Mejia, DDS, PhD; Jay S. Kaufman, PhD; Giselle Corbie-Smith, MD;
R. Gary Rozier, DDS; Daniel J. Caplan, DDS, PhD; Chirayath M. Suchindran, PhD

Abstract

The need to study the health and health care determinants of US Hispanics is mandated by their rapid population growth. Nonetheless, it is challenging to study such a diverse population that incorporates many similarities and differences in values and experiences. This paper aims to highlight the factors that should be considered in Hispanic oral health research in the United States, and presents, in a theoretical framework, the relationships between these factors. The proposed ecological framework is supported by an extensive literature review, with an emphasis on the factors that are reported to differ among ethnic groups. It has a foundation in social science and is based on existing models from different fields of knowledge. To be comprehensive, the framework simultaneously addresses individual and environmental constructs. Within these, antecedent factors shape the intention to seek oral health care, while empowerment factors play a mediating role between intention and actual receipt of care. Individual antecedent factors incorporate risk markers, need, and predisposing factors. Environmental antecedent factors are represented by social constructs that allude to the population's health culture. Empowerment factors explain the level of control that a person perceives or the environment provides in receiving care. A thorough consideration of the factors that drive Hispanics' oral health care usage will aid US researchers and practitioners in improving this population's health and access to care.

Key Words: *Hispanic-Americans, dental health services, theoretical models*

Introduction

People of Spanish descent, Hispanics, or Latinos are ethnic labels commonly used to refer to the fastest growing and largest minority population in the United States (1). These terms commonly refer to immigrants from countries of Latin America where Spanish or Portuguese are spoken or to people who can trace their ancestry to one of these countries, Spain, or Portugal (2,3). Currently, there is no gold standard for ethnicity other than self-report; ambiguity remains as to whether some populations, such as Spaniards or Portuguese, are included in this group, and contro-

versy exists about exactly which label properly defines group membership (4,5). The term "Latino" is Spanish for "Latin," which, by definition, would include Italians and French among others. Common usage of this term in the United States refers to people from Latin America, excluding people born outside the western hemisphere (4,5). On the other hand, the term Hispanic, which is derived from the word "Hispania" (i.e., Iberian Peninsula), by definition, would include people born in Spain or Portugal, and any person of such origin. Throughout the text, we will use the generic term Hispanic but will

consider it to be interchangeable with the terms Latino or Spanish.

This population in the United States grew 265 percent between 1950 and 1980 (6); in just 1 year, from 2003 to 2004, the overall Hispanic growth rate was 3.6 percent (7). Moreover, while in 1980 Hispanics represented 6.4 percent of the total US population, in 2005 they accounted for 14.4 percent of the US population (8). Projections indicate that by the year 2040, there will be 87.5 million Hispanics, about 22.3 percent of the US population (9).

Hispanics are a young population, yet compared with their non-Hispanic counterparts, they are less likely to finish high school and are more likely to be poor, unemployed, and uninsured (7). Similarly, the average health literacy score for US Hispanics in the National Assessment of Adult Literacy Survey was the lowest among all racial/ethnic groups compared; for approximately 41 percent, literacy levels were classified as "below basic," indicating an ability to perform no more than the most simple and concrete literacy skills (10). These factors undoubtedly relate to health and health care and need to be considered when exploring ethnic disparities.

A growing interest in Hispanic health has documented disparities in health conditions, health insurance, access to care, and use of health care services (11). Hispanics are less likely to seek and receive health care. They are more likely to forego

Send correspondence and reprint requests to R. Gary Rozier, DDS, Department of Health Policy and Administration, The University of North Carolina at Chapel Hill, 1105F McGavran-Greenberg Hall, CB#7411, Chapel Hill, NC 27599-7411. Tel: 919-966-7388; Fax 919-966-6961; e-mail: gary_rozier@unc.edu. Gloria C. Mejia is from the Departments of Epidemiology, School of Public Health, and Dental Ecology, School of Dentistry of The University of North Carolina at Chapel Hill. She is currently with the Australian Research Centre for Population Oral Health, School of Dentistry, The University of Adelaide. Jay S. Kaufman is with the Department of Epidemiology, The University of North Carolina at Chapel Hill. Giselle Corbie-Smith is with the Department of Social Medicine, The University of North Carolina at Chapel Hill. R. Gary Rozier is with the Department of Health Policy and Administration, The University of North Carolina at Chapel Hill. Daniel J. Caplan is with the Department of Preventive and Community Dentistry, The University of Iowa College of Dentistry. Chirayath M. Suchindran is with the Department of Biostatistics, The University of North Carolina at Chapel Hill. Manuscript received: 5/21/07; accepted for publication: 8/26/07.

care when needed and less likely to report a usual source of care (12-14). Barriers to utilizing indicated health services may include cultural and linguistic factors, and unfamiliarity, fear, or mistrust of the health care system (15).

The recent and projected changes in US demographics suggest that people of Hispanic origin will increasingly influence characteristics of patient pools, use and frequency of health care, and types of services rendered with respect to oral health care (16). People of Hispanic origin have the lowest dental care utilization of any ethnic population (as low as 13.1 percent) (17). Compared with non-Hispanic Whites, at all levels of income and education, Hispanics are less likely to have a dental visit in the past year (18). Disparities in oral health care utilization exist for all types of treatment services and seem to be increasing (19). Hispanics report fewer diagnostic, preventive, restorative, and prosthetic visits and more oral surgery visits than Whites (20).

This paper aims to point out the social and cultural factors that contribute to Hispanics' health-related beliefs, practices, and decisions. Based on a narrative review of the literature, we propose a conceptual framework to a) guide Hispanic research design and analysis by suggesting potential relationships among variables and b) aid in program planning, development, and evaluation.

Hispanics in the United States

Hispanics reside throughout the United States and its territories. The Hispanic population as a percent of the total population is greater in the west, whereas the Midwest has the lowest percentage (6). Geographic selection contributes to an ethnic identity and cultural coherence that may reduce negative health behaviors and socioeconomic and psychosocial stress (21). On the other hand, it may also evolve into "subculturalization" (22) and become a barrier with respect to health services, prevention, and education that ultimately contributes to health disparities.

Culture and Values. Hispanics are as much alike as they are different. Although individual and subgroup differences exist, it is a shared culture that leads Hispanics to be identified as part of the same ethnic group with values and attitudes that differ from non-Hispanic populations (6,23). Individual differences may be observed in terms of language proficiency and health literacy, among others. Subgroup differences, expressed through national origin and ancestry, relate to factors such as migration history and status. The interaction of these factors with their new environment within the United States influences belief systems and social structures, which contribute to varying health behaviors.

Hispanic similarities in cultural values – particularly familism, allocentrism, and *simpatía* – affect the process and outcome of Hispanic research and should be considered when formulating a research question, planning data collection methods, and analyzing study results (6). Familism or familialism, the identification and attachment of nuclear and extended families, is an important factor in immigration and settlement because relatives become not only behavioral and attitudinal referents, but also providers of material and emotional support (6,22,24). Allocentrism or collectivism provides a similar support structure and refers to social behaviors that resemble group needs, objectives, and points of view; allocentric people value interdependence and more readily internalize group norms (6,25,26). "*Simpatía*" emphasizes behaviors that promote empathy, respect, and avoidance of conflict (6,25). This social script becomes important when study participants provide responses they believe are expected of them or when they refrain from reporting problems to avoid inconveniencing others (6,25).

Proposed Framework

The purpose of theoretical frameworks is to simplify complex processes and build hypothetical relationships between variables that

facilitate reasoning. We base the proposed framework on a review of the published literature; however, it would be impractical and beyond the scope of the paper to provide a systematic review for each construct. Instead, to support the components of the proposed framework, we provide a narrative review, with examples from the available literature. The first step was to identify the factors related to the health care of Hispanics through PubMed searches using combinations of the terms "health care utilization," "dental care," "epidemiology," and "Hispanic." These factors were then articulated into a gross framework based on existing models from different disciplines. Next, each construct of the framework was included as a term in an independent search. As in the first step, abstracts were appraised and select articles that clearly reported ethnic differences were retrieved; when relevant, sources cited in these articles were also reviewed, and improvements were made to the framework accordingly.

In developing this framework, we considered that interpersonal and community theories were particularly suitable for Hispanics. Such theories include constructs of social support and social networks that touch on Hispanic culture and values. Additionally, an emphasis is placed on the enabling factors, which largely include variables that make the Hispanic community differ from other communities.

The proposed conceptual framework (Figure 1) considers the classic model of health service utilization by Andersen and Newman (27), but also takes into account the work of several other health behavior and social scientists. Ajzen, in the "Theory of Planned Behavior," recognizes the importance of behavioral intention and introduces the concept of perceived behavioral control (28) (instead, we will use the term "empowerment" to avoid confusion with the epidemiologic notion of analytic "control"). Behavioral intention is defined as the perceived likelihood of performing the behavior,

and perceived behavioral control is an overall measure of the individual's perception of their ability to perform the behavior (28). Similarly, the Triandis model considers behavioral intention as a predictor of behavior, affected by personal and social components such as the appropriateness of performing the behavior, and adds habit and "facilitating conditions" as predictors of behavior (29). We have incorporated the concept of behavioral intention through the "intention to seek care" domain, which is determined by individual and environmental antecedent factors. Intention then becomes a cornerstone in the process of seeking and receiving care.

The "Social Cognitive Theory," through its reciprocal determinism postulate, emphasizes the interactions between individuals, their behavior, and the environment (28). We argue in support of this theory on the dynamic interaction between individual and environment; however, we believe that behavior is


integral and inseparable from the individual, and therefore we have not used it as a separate construct.

The PRECEDE-PROCEED Planning Model classifies individual characteristics into one of these three groups: predisposing, enabling, and reinforcing factors. Similarly, Andersen, in his behavioral model, groups individual characteristics into predisposing, enabling, and illness level or need variables (27,30). Although these concepts have been incorporated into our framework, we consider demographic characteristics not as predisposing or "biological imperatives that suggest the likelihood that people will need health services" (30), but as risk markers for both need (clinical and perceived) and predisposing factors (attitudes, beliefs, prior experiences, and behaviors). Additionally, Andersen and Newman include family and community characteristics as integral to the individual within the enabling component (27); we have preferred to keep individual factors distinct

from family and societal characteristics and have kept geographic and health care system variables proximal to the receipt of care.

We propose a framework that categorizes constructs as either part of the individual or their social environment. In Figure 1, distal influences are included within the antecedent factors. Individual antecedent factors are either risk markers, predisposing factors, or need factors. Environmental antecedent factors pertain to the social constructs or the health culture of particular Hispanic subpopulations. Empowerment factors, more proximal influences, explain the level of control that either the person perceives or the environment provides for the receipt of care and the interrelationship between these two levels. Empowerment factors facilitate or interrupt the path from intention to seek care and actual receipt of dental care.

In the following paragraphs, we will define each construct and expand on the characteristics that



may influence Hispanics differently than the general population by citing pertinent literature.

Risk markers, defined as determinants of a behavior but not direct causative agents, include variables such as age, sex, marital status, and Hispanic ancestry.

Country of origin or ancestry not only defines group membership among Hispanics, it may act as a proxy for social and demographic characteristics. Despite the cultural patterns previously described, research shows that Hispanics are not a homogeneous population in regard to their health and health care (7,31,32).

Need factors, both clinical and perceived, point to the individual's health status and the severity of disease. The prevalence of dental caries is higher for Hispanic children, with one study revealing up to a 20 percent difference between Hispanic children and their non-Hispanic counterparts (33). Researchers also report disparities in disease severity, percentage of decay that has been treated, and loss of permanent teeth among children and adolescents (33).

In one report, Hispanics had a higher prevalence of gingivitis among American adults; among Hispanics, Puerto Ricans had the highest levels of periodontal disease (34). Hispanics are also reported to have a higher prevalence of calculus, gingivitis, attachment loss, and periodontal pockets than White and Black non-Hispanics (35). Gingivitis measured by gingival bleeding was more evident among Mexican-Americans when compared with other ethnic groups; furthermore, Hispanics were more likely to report toothaches than non-Hispanic Whites (17). The prevalence of tooth loss was reported to be higher among Cuban and Puerto Rican adults than among Mexican-Americans, and total tooth loss was highest for Cuban-Americans compared with Mexican-Americans and Puerto Ricans (34). Finally, Hispanics report high levels of perceived need and high levels of unmet needs (35).

Predisposing factors incline an individual toward a behavior and are related to the way health care is approached, personal beliefs and attitudes toward health, perceptions of one's health, and prior experiences with the dental or health care system.

Hispanic-Americans are more likely to lack a usual source of medical care and less likely to use preventive services when compared with other non-Hispanic groups (12,13). Future studies on Hispanics could clarify if dental care-seeking behaviors, dental attitudes, and dental health beliefs impact oral health outcomes and dental care use differently among Hispanics.

Social constructs are analogous to predisposing factors, but at a community level. In other words, these are culturally based factors such as the value society places on teeth, behavioral norms that affect oral health, or generalized trust in providers (36,37). These shared values and norms or "social influence" contribute to behavioral modification, without a deliberate attempt to do so (38). Culturally based differences in relation to oral health and health care outcomes between Hispanics and non-Hispanics and among Hispanic subgroups is clearly an area with great research potential.

Individual enabling factors explain the level of control that the person has over their own oral health. These factors include variables such as socioeconomic status, insurance, and – particularly pertinent to Hispanic-related research – health literacy and health care resource knowledge, level of acculturation and assimilation (e.g., language proficiency, years lived in the host country), and sense of vulnerability, stigma, and discrimination. Place of birth could be used to distinguish between foreign- and US-born Hispanics; related, but not the same, is citizenship status, which provides knowledge on constitutional rights. For the foreign-born Hispanics, migrant category determines if the person is a refugee, asylum seeker, foreign student,

migrant worker, permanent migrant, or more broadly, a documented (regular) migrant or undocumented (irregular) migrant, or a forced or voluntary migrant (39).

Expanding upon some of these variables, insurance, for example, has been widely studied as a determining factor for health care. Findings suggest that Hispanics are considerably less likely to have health insurance than are White Americans (11). Among Hispanics, foreign-born Hispanics are more likely to be uninsured, with a distribution varying from 17 percent of Puerto Ricans to 35.4 percent of Mexican-Americans (40). Foreign-born Hispanics also report fewer health care visits and are less likely to receive preventive care (41). Studies indicate that acculturation is a predictor of better oral health, increased utilization of oral health services, and more positive self-rated oral health (42); for example, Hispanics who speak primarily English at home (a measure of acculturation) were more likely to use dental health services and establish a "dental home" than those who speak mainly Spanish (43).

Enabling social structures include variables related to social networks expressed as social support and engagement and are considered to be of certain interest for research among Hispanic communities. Social support is provided through a) emotional support (e.g., love and caring), b) instrumental support (e.g., assistance with tangible needs), c) appraisal (e.g., feedback and aid in decision making), and d) informational support (e.g., guidance) (38). Social engagement refers to participation in social activities, which define and reinforce social roles and provide individuals with a sense of meaning and attachment to their community (38).

Geographical variables refer to factors that help define accessibility or that characterize a region, such as modes of transportation, distance from health care facilities, urban and rural living, or neighborhood makeup.

Research is increasingly focused on community characteristics and suggesting relationships with access and use of health care. Some of these factors include distance, in which travel time, cost, and effort may become barriers to care (44). Like distance, other variables such as mobility, transportation, and area deprivation may be related to oral health care outcomes.

Health care system variables intend to capture the supply, availability, and quality of health care. These can be measured through the provision of linguistic and culturally appropriate care (45), racial or ethnic patient-provider concordance (46,47), or means within the health care system to facilitate accessing insurance structures such as Medicare, Medicaid, or programs such as the State Children's Health Insurance Program. Others consider workforce sufficiency and distribution (48) or incorporate the concept of a "dental home" (43).

Conclusion

Cultural competence in health care has been advocated as a means to aid in the reduction of health disparities. Yet not all oral health professionals have the background knowledge necessary to provide culturally appropriate care, implement or evaluate culturally based health programs, or conduct cross-cultural research. In this regard, care for Hispanics can be challenging because of subgroup differences that, as suggested by the framework presented in this paper, need to be taken into account when possible. Nonetheless, it is their shared cultural values and attitudes that a) lead to the identification of its subgroup members as part of the same ethnic group and b) differentiate Hispanics from other ethnic groups within the United States. Therefore, it is important to understand the factors that influence Hispanic-Americans' utilization of dental health services in order to better meet the needs of this growing population and improve their oral health status.

We acknowledge that some of the proposed constructs in our framework would be particularly relevant for other ethnic groups, yet we also note that other factors may not be pertinent. The proposed framework intends to show how specific variables relate to Hispanics in particular. Disentangling the effects of these variables on Hispanics' health behaviors, health care, and health status is not straightforward. The task, however, could be aided by a theoretical framework that clarifies how all these factors articulate and interact.

Researchers who have studied the dental health care utilization of Hispanics have looked at factors such as insurance, need, and demographic characteristics, but have failed to incorporate important factors such as concordance between patient and provider, sense of vulnerability, and cultural values. In excluding these variables, researchers have missed the opportunity to examine the effects of social relations, migration, and dental health literacy, for example. Through this integrated approach, a more critical and systematic way of generating hypotheses will move the field forward more than the current mechanistic and atheoretical method of variable selection. Similarly, policy-makers would benefit from a more detailed perspective when examining issues of agency responsibility and accountability, and a more coherent approach to guide their actions towards achieving "healthy" policies needed to curtail inequalities and promote and protect oral health. Our call is to test the validity and usefulness of the framework through systematic reviews, in applied research, and in program development.

Acknowledgments

Dr. Harry Guess, MD, PhD, contributed with the conception and design of the framework; he critically revised the initial drafts. Dr. Guess died on January 1, 2006, before the approval of the final version of this manuscript.

References

1. US Census Bureau [homepage on the Internet]. Hispanic population passes 40 million, Census Bureau reports. Public Information Office; 2005 [updated 2007 Feb 7; cited 2007 Mar 26]. Available from: <http://www.census.gov/Press-Release/www/releases/archives/population/005164.html>
2. Webster's third new international dictionary of the English language unabridged. Springfield (MA): Merriam Company Publishers; 1968.
3. The Oxford English dictionary, 2nd ed. Oxford: Clarendon Press; 1989.
4. Hayes-Bautista DE, Chapa J. Latino terminology: conceptual bases for standardized terminology. *Am J Public Health*. 1987;77:61-8.
5. Trevino F. Standardized terminology for Hispanic populations. *Am J Public Health*. 1987;77:69-72.
6. Marin G, Vanoss Marin B. Research with Hispanic populations. Newbury Park (CA): Sage Publications; 1991.
7. Ramos-Gomez F, Cruz GD, Watson MR, Canto MT, Boneta AE. Latino oral health: a research agenda toward eliminating oral health disparities. *J Am Dent Assoc*. 2005;136:1231-40.
8. US Census Bureau [homepage on the Internet]. Census Bureau releases population estimates by race, Hispanic origin and age for states and counties. Public Information Office; 2006 [updated 2007 Feb 7; cited 2007 Mar 26]. Available from: <http://www.census.gov/Press-Release/www/releases/archives/population/007263.html>
9. Centers for Disease Control and Prevention [homepage on the Internet]. Hispanic or Latino populations. Office of Minority Health, CDC [updated 2007 May 11; cited 2007 May 18]. Available from: <http://www.cdc.gov/omh/populations/HL/hl.htm>
10. Kutner M, Greenberg E, Jin Y, Paulsen C. The health literacy of America's adults: results from the 2003 National Assessment of Adult Literacy (NCES 2006-483). Washington (DC): US Department of Education, National Center for Education Statistics; 2006.
11. Monheit AC, Vistnes JP. Race/ethnicity and insurance health status: 1987 and 1996. *Med Care Res Rev*. 2000;57:11-35.
12. Corbie-Smith G, Flagg EW, Doyle JP, O'Brien MA. Influence of usual source of care on differences by race/ethnicity in receipt of preventive services. *J Gen Intern Med*. 2002;17:458-64.
13. Balluz LS, Okoro CA, Strine TW. Access to health care and preventive services among Hispanics and Non-Hispanics – United States, 2001-2002. *MMWR Morb Mortal Wkly Rep*. 2004;53:937-41.
14. Atchison KA, Davidson PL, Nakazono TT. Predisposing, enabling, and need for dental treatment characteristics of ICS-II USA ethnically diverse groups. *Adv Dent Res*. 1997;11:223-34.

15. Zabala G, Jones BL. *Nosotros: Latino culture – public health and human services. A participant's guide.* Raleigh (NC): NC Office of Minority Health; 1999.
16. Wall TP, Brown JG. Dental visits among Hispanics in the United States, 1999. *J Am Dent Assoc.* 2004;135:1011-7.
17. US Department of Health and Human Services. *Oral health in America: a report of the Surgeon General.* Rockville (MD): US Department of Health and Human Services, National Institute of Dental and Craniofacial Research; 2000.
18. Agency for Health Care Research and Quality [homepage on the Internet]. *National Healthcare Disparities Report, 2005.* Rockville (MD): AHRQ [updated Jan 2006; cited 2007 Mar 26]. Available from: <http://www.ahrq.gov/qual/nhdr05/nhdr05.htm>
19. Macek MD, Edelstein BL, Manski RJ. An analysis of dental visits in US children by category of service and sociodemographic factors, 1996. *Pediatr Dent.* 2001;23:383-9.
20. Manski RJ, Moeller JF. Use of dental services: an analysis of visits, procedures and providers, 1996. *J Am Dent Assoc.* 2002;133:167-75.
21. Herman AA. Toward a conceptualization of race in epidemiologic research. *Ethn Dis.* 1996;6:69-82.
22. McAdoo HP. *Family ethnicity: strength in diversity.* Thousand Oaks (CA): Sage Publications; 1999.
23. González Burchard E, Borrell LN, Choudhry S, Naqvi M, Tsai HJ, Rodriguez-Santana JR, Chapela R, Rogers SD, Mei R, Rodriguez-Cintrón W, Arena JF, Kittles R, Perez-Stable EJ, Ziv E, Risch N. Latino populations: a unique opportunity for the study of race, genetics, and social environment in epidemiological research. *Am J Public Health.* 2005;95:2161-8.
24. Ryan B, Kanellos N. *Hispanic American almanac.* New York: International Thomson Publishing Company; 1995.
25. Varela RE, Vernberg EM, Sanchez-Sosa JJ, Riveros A, Mitchell M, Mashunkashey J. Anxiety reporting and culturally associated interpretation biases and cognitive schemas: a comparison of Mexican, Mexican American and European American families. *J Clin Child Adolesc Psychol.* 2004;33:237-47.
26. Triandis HC. Individualism-collectivism and personality. *J Pers.* 2001;69:907-24.
27. Andersen R, Newman JF. Societal and individual determinants of medical care utilization in the United States. *Milbank Mem Fund Q Health Soc.* 1973;51:95-124.
28. Glanz K, Rimer BK, Lewis FM. *Health behavior and health education. Theory, research, and practice.* San Francisco: Jossey Bass; 2002.
29. Valois P, Desharbaux R, Godin G. A comparison of the Fishbein and Ajzen and the Triandis attitudinal models for the prediction of exercise intention and behavior. *J Behav Med.* 1988;11:459-72.
30. Andersen RM. Revisiting the behavioral model and access to medical care: does it matter? *J Health Soc Behav.* 1995;36:1-10.
31. Scott G, Simile C. Access to dental care among Hispanic or Latino subgroups: United States 2000-2003. Hyattsville (MD): National Center for Health Statistics; 2005. Advance data from Vital and Health Statistics No. 354.
32. Weinick RM, Jacobs EA, Stone LC, Ortega AN, Burstin H. Hispanic healthcare disparities: challenging the myth of a monolithic Hispanic population. *Med Care.* 2004;42:313-20.
33. Edelstein BL, Manski RJ, Moeller JF. Pediatric dental visits during 1996: an analysis of the federal Medical Expenditure Panel Survey. *Pediatr Dent.* 2000;22:17-20.
34. Ismail AI, Szpunar SM. The prevalence of tooth loss, dental caries, and periodontal disease among Mexican Americans, Cuban Americans, and Puerto Ricans: findings from HHANES 1982-1984. *Am J Public Health.* 1990;80(Suppl):66-70.
35. Watson MR, Brown LJ. The oral health of U.S. Hispanics: evaluating their needs and their use of dental services. *J Am Dent Assoc.* 1995;126:789-95.
36. Riedy CA, Weinstein P, Milgrom P, Bruss M. An ethnographic study for understanding children's oral health in a multicultural community. *Int Dent J.* 2001;51:305-12.
37. Adair PM, Pine CM, Burnside G et al. Familial and cultural perceptions and beliefs of oral hygiene and dietary practices among ethnically and socio-economically diverse groups. *Community Dent Health.* 2004;21:102-11.
38. Berkman LF, Glass T, Brissette I, Seeman TE. From social integration to health: Durkheim in the new millennium. *Soc Sci Med.* 2000;51:843-57.
39. World Health Organization. *International migration, health and human rights. Health and Human Rights Publication Series (4).* Geneva; 2003 [cited 2006 Nov 22]. Available from: <http://whqlibdoc.who.int/publications/2003/9241562536.pdf>
40. National Research Council. *Racial and ethnic differences in health: recent trends, current patterns, future directions.* In: Smelser NJ, Wilson WJ, Mitchell F, editors. *America becoming: racial trends and their consequences.* Washington (DC): National Academy Press; 2002. p. 253-310.
41. Wagner TH, Guendelman S. Healthcare utilization among Hispanics: findings from the 1994 Minority Health Survey. *Am J Manag Care.* 2000;6:355-64.
42. Patrick DL, Lee RS, Nucci M, Grembowski D, Jolles CZ, Milgrom P. Reducing oral health disparities: a focus on social and cultural determinants. *BMC Oral Health.* 2006;6(Suppl 1):S4.
43. Graham MA, Tomar SL, Logan HL. Perceived social status, language and identified dental home among Hispanics in Florida. *J Am Dent Assoc.* 2005;136:1572-82.
44. McLafferty S, Grady S. Immigration and geographic access to prenatal clinics in Brooklyn, NY: a geographic information systems analysis. *Am J Public Health.* 2005;95:638-40.
45. Anderson LM, Scrimshaw SC, Fullilove MT, Fielding JE, Normand J. Culturally competent healthcare systems. A systematic review. *Am J Prev Med.* 2003;24:68-79.
46. Saha S, Komaromy M, Koepsell TD, Bindman AB. Patient-physician racial concordance and the perceived quality and use of health care. *Arch Intern Med.* 1999;159:997-1004.
47. Hardie R, Ransford E, Zernik J. Dental patients' perceptions in a multiethnic environment. *J Calif Dent Assoc.* 1995; 23:77-80.
48. Edelstein BL. Access to dental care for Head Start enrollees. *J Public Health Dent.* 2000;60:221-9, discussion 230-2.

Copyright of Journal of Public Health Dentistry is the property of Wiley-Blackwell and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.