

Policy on the Use of Deep Sedation and General Anesthesia in the Pediatric Dental Office

Originating Council

Ad Hoc Committee on Sedation and Anesthesia

Review Committee

Committee on Sedation and Anesthesia

Adopted

1999

Revised

2004

Purpose

The American Academy of Pediatric Dentistry (AAPD), as the advocate for oral health in infants, children, adolescents, and persons with special health care needs, recognizes that there exists a patient population for whom routine dental care using nonpharmacologic behavior management techniques is not a viable approach. It also recognizes that a population of patients, because of their need for extensive treatment, acute situational anxiety, uncooperative age-appropriate behavior, immature cognitive functioning, disabilities, or medical conditions, would benefit from deep sedation or general anesthesia.¹

Background

Pediatric dentists have long sought to provide dental care to their young and disabled patients in a manner which will promote excellence in quality of care and concurrently induce a positive attitude in the patient toward dental treatment. Behavior management techniques have allowed most children to receive treatment in the dental office with minimal discomfort and without expressed fear. Sedation has provided others with the ability to accept treatment.

However, some children and developmentally disabled patients require general anesthesia to receive comprehensive dental care in a safe and humane fashion. Many pediatric dentists (and others who treat children) have sought to provide for the administration of general anesthesia by properly trained individuals in their offices or other facilities (eg, outpatient care clinics) outside of the traditional hospital setting.

In 1998, the AAPD established its Clinical Guideline on the Elective Use of Minimal, Moderate, Deep Sedation and General Anesthesia in Pediatric Dental Patients, which have been reviewed and revised.¹ These revised guidelines reflect the current understanding of appropriate monitoring needs and, further, provide definitions and characteristics of 3 levels of sedation (minimal, moderate, and deep) and general anesthesia involving pediatric patients.

When deep sedation or general anesthesia is provided in a private pediatric dental office, the pediatric dentist must be responsible for evaluating the educational and professional qualifications of the general anesthesia or deep sedation provider (if it is other than himself) and determining that the

provider is in compliance with state rules and regulations associated with the provision of deep sedation and general anesthesia. The pediatric dentist is also responsible for establishing a safe environment that complies with state rules and regulations, as well as the Clinical Guideline on the Elective Use of Minimal, Moderate, and Deep Sedation and General Anesthesia¹ for the protection of the patient:

Educational requirements

Deep sedation and general anesthesia must be provided only by qualified and appropriately trained individuals and in accordance with state regulations. Such providers may include pediatric dentists who have completed advanced education in anesthesiology beyond their pediatric residency advanced training program, dental or medical anesthesiologists, or certified registered nurse anesthetists. The expertise in providing deep sedation and general anesthesia cannot be gained through the undergraduate dental school curriculum or continuing education. Only dentists who have completed an advanced education program which meets the requirements of the American Dental Association (ADA) are considered qualified to provide deep sedation and general anesthesia in practice. This includes:

1. completion of an advanced training program in anesthesia and related subjects beyond the predoctoral dental curriculum that satisfies the requirements described in Part II of the ADA Guidelines for Teaching the Comprehensive Control of Pain and Anxiety in Dentistry² at the time training was commenced;
2. completion of an ADA-accredited post-doctoral training program (eg, oral and maxillofacial surgery) which affords comprehensive and appropriate training necessary to administer and manage deep sedation/general anesthesia.

Risk management

As stated above, the pediatric dentist is responsible for providing a safe environment for the in-office provision of deep sedation and general anesthesia. In addition to evaluating the qualifications of the anesthesia provider, he/she must be involved with the following aspects of care to minimize risks for the patient:

1. facilities and equipment;
2. monitoring and documentation;
3. patient selection utilizing medical history, physical status; and indications for anesthetic management;
4. preoperative evaluation;
5. appropriately trained support personnel;
6. emergency medications, equipment, and protocols;
7. preoperative and postoperative patient instructions;
8. criteria and management of recovery and discharge.

Continuous quality improvement

To reduce the chance of medical error and determine root cause, aspects of continuous quality improvement are applied in the outpatient setting during the administration of deep sedation and general anesthesia as described in the Clinical Guideline on the Elective Use of Minimal, Moderate, and Deep Sedation and General Anesthesia.¹

Policy statement

The AAPD endorses the in-office use of deep sedation or general anesthesia on select pediatric dental patients administered either by a trained, credentialed, and licensed pediatric dentist, dental or medical anesthesiologist, or nurse anesthetist in an appropriately equipped and staffed facility.

References

1. American Academy of Pediatric Dentistry. Clinical guideline on the elective use of minimal, moderate, and deep sedation and general anesthesia in pediatric dental patients. *Pediatr Dent* 2004;26(suppl):95-103.
2. American Dental Association. Guidelines for teaching the comprehensive control of anxiety and pain in dentistry. Chicago, Ill: ADA House of Delegates; 2003.

Copyright of Pediatric Dentistry is the property of American Society of Dentistry for Children and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.