I.T.S DENTAL COLLEGE, HOSPITAL & RESEARCH CENTRE

47, Knowledge Park-III, Greater Noida

Final Internal Assessment Examination

BDS 2ndyear (2015 Regular Batch)

Subject: Pharmacology

Time: 3 hrs

Date: 27.10.2017

MM:70

- All questions are compulsory
- Use separate sheet for Part A and Part B
- Draw a well labelled diagram wherever necessary

PART-A

- 1. Classify antimicrobials.according tomechanism of action, Write therapeutic Uses and adverse effects of penicillins. (4+4+3)
- 2. Write comments on the following combinatios;

(4+4+4)

- A. carbidopa +Levo-dopa
- B. B.sulfamethoxazole +trimethprim
- C. Amoxycillin+clavulanic acid
- 3. Write therapeutic uses and adverse effects of;

(4+4+4)

- a.chloroquin
- b.sulphnylureas
- c.glucocorticoid

PART-B

- 1. Classify fluoroquinolones .write mechanism of action, therapeutic uses and adverse effects of ciprofloxacin. (5+6)
- 2. Enumerate:

AAantitubercular drugs

(4+4+4)

- B.Antiviral drugs
- C.Antifibrinolytic drugs
- 3. Write short notes on:

(4+4+4)

- A. Chelating agents
- B. Prokinetic drugs
- C. Vit. D

I.T.S DENTAL COLLEGE, HOSPITAL & RESEARCH CENTRE

47, Knowledge Park-III, Greater Noida

First Term Examination

BDS 2nd year (2015 Batch)

Subject: Pharmacology

Time: 3 hrs Marks: - 70

Date: - 12-4-2017

- All questions are compulsory
- Use separate sheet for Part A and Part B
- Draw a well labeled diagram wherever necessary

PART A

- Classify beta blockers, write their therapeutic uses and adverse effects (11 M)
- II) Explain why

· (4×3)

- a) Adrenaline used for treatment of anaphylactic shock
- b) Ethyl alcohol is used for treatment of methyl alcohol poisoning
- c) Propranolol is used in treatment of angina.
- III) Short Note:-
 - 1) Antagonism
 - 2) Uses of Aspirin
 - 3) Iatrogenic diseases



PART-B

- Classify routes of administration, write advantages and disadvantages of parental route (11M)
- II) Write drug treatment of:-

 (4×3)

- a) Acute Congestive glaucoma
- b) Organophosphorus poisoning
- c) Migraine
- III) Short Notes

(4×3)

- 1) Elimination kinetics
- 2) Second generation anti-histaminics
- 3) Atropine substitutes