

Index

Note: Page numbers of article titles are in **boldface** type.

A

Abutment(s), preparation of, milled surfaces and, 687

Adherents. See *Denture adhesive(s)*.

Adhesives, denture. See *Denture adhesive(s)*.

Alveolar bone, influence of dental implants on, 609

Articulation(s), balanced, 667
canine-protected, 667–668, 673
monoplane, 673
mutually protected, 668, 673
neutrocentric, 673
unilateral balanced, 673

Articulator, fully adjustable - class IV, 670
selection of, 669
semiadjustable - class III, 670
simple - class I and class II, 669–670

Attachment, precision, milled surface as, **685–708**

Autopolymerizing, of acrylic record bases, 633–634

B

Blockout, 701–702

Bonded metal surfaces, construction of, 693–694
impressions for, 693

Bone, alveolar, influence of dental implants on, 609

C

Caries, tooth-borne mandibular overdentures and, 605, 606

Cast ceramic surfaces, 672–673

Cast gold occlusal surfaces, 678–679

Cast metal, for artificial posterior teeth, 672

Ceramic layering, 741–743

Ceramics, gingival, color of, and creation of illusion, 736
shade selection for, 741

Composite template, for additive mouth preparation, 692

Connectors, minor, guide planes and, for removable partial dentures, 686–687

Crowns, milled surveyed, and pontics, 694–695
removal from master cast, before denture waxing, 700–701

D

Dental implants, influence on alveolar bone, 609
osseointegrate, denture adhesives and, 731–732

Dental professionals, education of, 724

Denture(s), complete, immediate, 717, 718
soft liners for, 717, 718
simplified, **625–640**
classification system for evaluation for, 628, 629
delivery of, 637–638
dental history for, 626–627
diagnosis and treatment planning for, 625–628, 629
esthetic try-in for, 635–637
extraoral examination for, 627
impressions and record bases for, 630–634
instructions to patient for, 638–639
intraoral examination for, 627–628
jaw relationship records for, 634–635
medical history for, 626
modification of existing dentures for, 629–630

- Denture(s), complete, (*continued*)
 recall appointments in, 639
 relinings for, 639–640
 treatment prior to, 629–640
 single maxillary, **567–583**
 changes to occlusal
 discrepancies in,
 568–569
 Class 1, 570–571
 Class 2, 572, 573
 Class 3, 573–577, 578
 Class 4, 578
 Class 5, 578–581
 classification system for
 patients requiring,
 569–570
 equilibrium/balance of,
 elements for, 568
 stable, elements for, 567–568
 tooth selection for, 569
 variables determining
 success of, 567
 fixed partial, framework design for, 739
 implant-retained, 737–738
 metal ceramic, 736, 739, 740
 fixed-removable, complications of, 685
 new, denture adhesives and, 731
 partial, casting control of, 701
 patient/dentist education on, 723–724
 removable partial, denture adhesives
 and, 732
 guide planes and minor
 connectors for, 686–687
 materials for occlusal surfaces
 for, 672
 occlusal patterns and, 677
 plane of occlusion for, 676
 tooth-retained fixed partial, 735–737
 graft shrinkage and, 736, 738
 stability of, 736, 737
- Denture adhesive(s), **721–733**
 composition of, 721–722
 contraindications to, 732
 creams and powders, 726–728
 desired attributes of, 725
 frequently asked questions concerning,
 725–726
 indications for, 729–732
 insoluble, 721, 722–723
 masking effect of, 724
 risks of, 724–725
 myths and misconceptions concerning,
 724
 pads and synthetic wafers, 722–723, 726
 soluble, 721, 722
- Denture occlusion, complete, **641–665**
 balanced articulation and,
 642–643, 644
 current need for, 649–650
 international workshop on
 (1972), 641
 lingualized articulation and,
 645–646
 evaluation at insertion
 appointment, 663–664
 in trial denture, 659–660
 molds for, 651–652, 654
 factors in, 652–656
 occlusal schemes for, 647,
 648
 refining after processing,
 660–664
 tooth molds for, 647–648,
 649–650
 lingualized integration for,
 rationale for, 650–651
 monoplane articulation and,
 644–645
 non-anatomic posterior tooth
 forms and, 643–644
 nonbalanced articulation and,
 643–644, 645
 occlusal patterns and tooth
 arrangements and, 641–642
 diagnosis and treatment planning for,
 668
 goal of, 667
 removable partial, **667–683**
- Denture teeth, materials for, 671–673
 selection of, 671–674
 semianatomic, 674
- Die pins, for resin dies, 700
-
- E**
- Edentulism, and socioeconomic status, 609
 Edentulous arches, classification of, 669
 Elderly patients, denture adhesives for,
 730–731
-
- F**
- Fixatives. See *Denture adhesive(s)*.
 Functionally generated path, 677–678
-
- G**
- Gingival ceramics, color of, and creation of
 illusion, 736
 shade selection for, 741
 Group function, 668
 Guide plane restorations, waxed proximal
 metal rest for, 693, 694

Guide planes, and minor connectors, for removable partial dentures, 686–687
mouth preparation for, 690–692

I

Illusion, creation of, color of gingival ceramics and, 736
Implant-connecting bar, milling of, for maxillary class IV, 705, 706
Implant therapy, soft liners following, 717–718
Implants, influence on alveolar bone, 609
osseointegrate, denture adhesives and, 731–732
Impression(s), and record bases, for simplified complete dentures, 630–634
for bonded metal surfaces, 693
Impression material, soft liners and, 716–717
Interocclusal records, 670–671
Interpolymer network acrylic denture teeth, 672

J

Jaw relationship records, for simplified complete dentures, 634–635

L

Lingualized occlusion, 668, 674

M

Mandibular posterior teeth, arranging of, for occlusal rehabilitation, 656–657
Master casts, solid, and pindex, fabricated from final impression, 696
Maxillary posterior teeth, arranging of, for occlusal rehabilitation, 657–659
Metal finishing, for partial dentures, 703–704
Metal surfaces, bonded, construction of, 693–694
impressions for, 693
final milling of, for partial dentures, 699–700
Milled surface(s), as precision attachment, **685–708**
creation of, diagnostic preparation for, 687–689, 690

in enamel, preparation guide planes for, 690, 691
mouth preparation for, 690–692
preparation of abutments and, 687

Milling, complex, for maxillary class IV, 704, 706
in denture repair situation, 706, 707
of lingual surface of single anterior restoration, 702, 704–705
process of, clinical examples of, 704–707
simple, of lingual surfaces of posterior teeth, mandibular class IV, 703, 705

Molar, first, use in occlusal rehabilitation, 657, 659
second, use in occlusal rehabilitation, 657, 659

Molds, for complete denture occlusion and lingualized articulation, 647–648, 649–650, 651–652, 654

O

Occlusal plane, landmarks for, 674–675

Occlusal recording materials, 671

Occlusal rehabilitation, adjustment of
protrusive contacts in, 662–663
adjustment of working and balancing contacts in, 660–662
anterior and posterior reference points for, 654, 655
anteroposterior compensating curve for, 655–656
arrangement of mandibular posterior teeth for, 656–657
arrangement of maxillary posterior teeth for, 657–659
artificial tooth forms requirements for, 651
buccolingual positioning of teeth for, 654–655
establishment of maximum intercuspation in, 660, 661
maximum intercuspation at centric jaw relation position, 650
mediolateral compensating curve for, 656, 657
natural appearance of tooth arrangement for, 651
number of teeth selected for, 653, 654
occlusal contacts or tooth interferences for, 650–651
premolar in, 656, 658–659

Occlusal scheme(s), and morphologies, choice of, 673–674

- Occlusal scheme(s), (*continued*)
 determination of, 680–681
 objectives for establishing, 679–680
- Occlusal surfaces, cast gold, 678–679
- Occlusal trauma, symptoms of, 668
- Occlusion, lingualized, 668, 674
- Osseointegrate implants, denture adhesives and, 731–732
- Overdenture(s), for transition from dentate to edentulous, 585–586
 mandibular, complete, **603–623**
 conventional, problems with, 604
 endosseous dental implants as support for, 603–604
 implant-supported, 608–613
 attachments for, 620, 621
 autopolymerizing denture-base material for, 617–618
 clinical technique for, 613–620
 complications associated with, 611
 interconnection of, 612
 jaw relations for, 615–616
 mandibular master cast for, 615
 number of implants for, 611–612
 O-ring overdenture attachment
 mechanisms for, 614
 patient examination for, 610
 resin for, 618–619, 620
 situations suitable for, 608, 609
 surgical guide for, 613–614
 trial denture setup for, 616–617
 tooth-borne, 604–608
 advantages of, 605
 caries and, 605, 606
 disadvantages of, 605
 improvement of retention stabilization for, 607–608
 maintenance of, 608
 treatment planning for, 606–607
 maxillary, implant-retained, **585–601**
 advantages over conventional dentures, 589–590
 fixed or removable, 590
 implant-connecting bars for, 595–596
 impression for, 594–595
 insertion of, 597
 inspection of fitting accuracy for, 596
 lone-standing of bar-connected, 590–591
 movement of, 588
 placement of, 587–588
 retentive components for, 588, 589
 technique for fabrication of, 593–596
 location of available bone for, 592–593
 number and location of implants for, 592
 retentive elements connected to implants for, 593
 treatment planning for, 591–593
 retention of natural tooth roots and, 586–587
 use of, clinical research findings from, 589–591
-
- P**
- Physically/mentally challenged patients, denture adhesives and, 731
- Plastic coping(s), fabrication of, 697
 transfer to solid cast, 697, 698
- Pontics, milled surveyed crowns and, 694–695
- Porcelain, feldspathic, 741–743
- Porcelain denture teeth, 672
- Premolar, use of, in occlusal rehabilitation, 656, 658–659
- Preprosthetic surgery, soft liners following, 717–718
-
- R**
- Reconstructive surgery, denture adhesives and, 730
- Record bases, acrylic, autopolymerizing of, 633–634
 and impressions, for simplified complete dentures, 630–634
 fabrication of, for mounting procedures, 696
- Reduction guide, to assess tooth reduction, 695
- Refractory cast, duplication of, 702

Resin tray, aupolymerizing of, to facilitate removal, 700

Restoration(s), final fixed, fabrication of, 695–701
guide plane, waxed proximal metal rest for, 693, 694
provisional, diagnostic casts of, 697
single anterior, lingual surface of, milling of, 702, 704–705

Ridge deficiencies, prosthodontic management of, **735–744**

Root, natural tooth, retention of, overdenture and, 586–587

S

Soft liners, **709–720**
categories of, 712–713
clinical uses of, 715–716
complicating factors, 713–714
diagnostic relining and, 716
following preprosthetic surgery, 717–718
for immediate complete denture, 717, 718
impression material and, 716–717
International Organization for Standardization and, 712
material properties for, 711–712
relining materials for, 709–711
tissue conditioners and, 715–716

T

Tooth forms, artificial, requirements of, for occlusal rehabilitation, 651

non-anatomic posterior, complete denture occlusion and, 643–644

Tooth molds, for complete denture occlusion and lingualized articulation, 647–648, 649–650, 651–652, 654

Tooth(Teeth), anterior, landmarks for, 674
mandibular posterior, arranging of, for occlusal rehabilitation, 656–657

maxillary anterior, artificial, positioning of, 675–676

maxillary posterior, arranging of, for occlusal rehabilitation, 657–659

natural, position of, 674

posterior, artificial, positioning of, 676–677

landmarks for, 675

lingual surfaces of, simple milling of, 703, 705

W

Waxed proximal metal rest, and guide plane restorations, 693, 694

Waxup, cutback of, verification of, 698–699
milled on dental surveyor, 697, 698

Workshop, international (1972), on complete denture occlusion, 641

X

Xerostomia, denture adhesives and, 731