

THE DENTAL CLINICS OF NORTH AMERICA

Dent Clin N Am 48 (2004) 1145-1160

Cumulative Index 2004

Volume 48

January	MODERN ENDODONTIC PRACTICE, pages 1-340
April	FIXED PROSTHODONTICS, pages 341–566
July	REMOVABLE PROSTHODONTICS , pages 567–750
October	LASERS IN CLINICAL DENTISTRY, pages 751–1160

Note: Page numbers of article titles are in **boldface** type.

A

Abfractive lesion, class V, with soft tissue removal, erbium laser for, 1043–1046
Abutments, preparation of, milled surfaces and, 687
Adherents. See Denture adhesive(s).
Adhesives, denture. See <i>Denture</i> <i>adhesive(s)</i> .
Aesthetic dental procedures, optional, 834
Aesthetic dentistry, lasers in, 833–860 case reports of, 840–858 types of, 835 vital issues for success of, 834
Alginate, laying on tabletop, 480, 481
Alloys, Ag-Pd, 509 application of porcelain to, 503–505 Au-Cu-Ag, 507–508 Au-Pu, 507 biocompatibility of, 502–503 casting, 499–512 American Dental Association classification of, 505–506, 507 classes of, currently available, 505–510 clinical selection of, 510–511 Co-Cr, 510 color of, 500 corrosion of, 502 for fixed prosthetic restorations, 499 grain size of, 501 high-noble, 506–508 interactions with environment, 503 Ni-Cr-Be, 509, 510 noble, 508–509 Pd-Ag, 509

Pd-Cu-Ga, 508–509 phase structure of, 500 predominantly base-metal, 509–510 properties of, important to clinical performance, 500–505 soldering of, 505 solidus and fit of, 501–502 strength and hardness of, 501

Alveolar bone, influence of dental implants on, 609

Alveolar ridges, irregular and undercut, surgical treatment of, 964-965 unsuitable, laser treatment of, 964

- Amalgam, removal of, laser for, 913, 914, 916
- American National Standards Institute, 1134
- Ankyloglossia, treatment of, diagnosis and rationale for, 891–895, 896, 897
- Antibiotic therapy, in periodontal disease, 925

Apex locator(s), electronic, 4–5, **35–54** frequency-dependent, 37–38 accuracy of, 38–41, 47, 48 operation with various electrolytics, 41–47 problems with using, 50–51 suggestions for use of, 49 to detect root perforation, 48 use in primary teeth, 48 with additional functions, 38 history of, 36–38 traditional-type, 36–37

Apexification procedures, one-step, 300–302 calcium sulfate in, 301–302

0011-8532/04/\$ - see front matter @ 2004 Elsevier Inc. All rights reserved. doi:10.1016/S0011-8532(04)00110-7

- Apexification procedures (*continued*) clinical cases illustrating, 303–306 mineral trioxide aggregate in, 301–302 repair of root perforation and, **291–307**
- Aphthous lesions, lasers in treatment of, 956–957
- Aphthous ulcers, laser therapy in, 905–907, 911, 1070
- Apical foramen, terminus of, gaining access to, 275–286
- Apicoectomy, failure of, causes of, 821-822
- Applied fluences, effect of, to temperature rise, 1085
- Argon lasers, 763–764, 835, 937–939 for oral and maxillofacial surgery, 863–864
- Articulation(s), balanced, 667 canine-protected, 667–668, 673 monoplane, 673 mutually protected, 668, 673 neutrocentric, 673 unilateral balanced, 673
- Articulator, fully adjustable class IV, 670 selection of, 669 semiadjustable - class III, 670 simple - class I and class II, 669–670
- Attachment, precision, milled surface as, 685–708
- Autopolymerizing, of acrylic record bases, 633-634

B

Bacteria, reduction of, dose-dependent irradiation in, 1098–1099, 1100 during endodontic therapy, erbium laser for, 1029

Biologic width, in aesthetic dentistry, 838-840

Blockout, 701-702

Bonded metal surfaces, construction of, 693–694 impressions for, 693

Bone, ablation of, erbium laser(s) for, 1049–1050 erbium laser(s) in, 1031–1033 alveolar, influence of dental implants on, 609 resection of, lasers in, 785

С

Calculus, laser removal of, measurement of efficiency of, 1099–1100 plaque and, selective laser removal of, historical evaluations of, 1091–1094, 1095 selective removal of, by approach into periodontal pocket, 1096–1098,

1099 fluorescence emission measurements for, 1091–1092

- Carbon dioxide laser(s), 767–768, 835, 939 for oral and maxillofacial surgery, 862 in frenectomy, 948, 949, 951–952 in gingivoplasty, 947, 948, 951 incisional and excisional procedures using, 868–871, 872
- Cardiovascular patients, identification of, 436

Caries, class II, erbium laser for, 1039, 1040 class III, and composite resin removal, erbium laser for, 1039–1040, 1041 class IV, and composite resin removal,

- erbium laser for, 1040–1042 microdental, erbium laser for removal of, 1036–1037
- removal of, laser for, 789–790, 909–912, 913, 915–916, 918–919
- selective ablation of, absorption of blue laser energy and, 1091 lasers and, 1089–1091 verification of, 1080–1083 tooth-borne mandibular overdentures and, 605, 606

Cast ceramic surfaces, 672-673

Cast gold occlusal surfaces, 678-679

Cast metal, for artificial posterior teeth, 672

Casting alloys, **499–512** American Dental Association classification of, 505–506, 507

- Casts, hand articulation of, 473, 474, 482 heels of, touching, 482 movement during articulation, 483, 485
 - with major blebs on occlusal surfaces, 481
- Cavity, access to, extension of, 217 preparation of, obturation of root canal system and, 217

Calcium sulfate, for hemostasis and barrier, in root canal therapy, 291–293, 295 in one-step apexification, 301–302

Ceramics, dental. See *Dental ceramics*. gingival, color of, and creation of illusion, 736 shade selection for, 741

Ceramic layering, 741-743

Collatape, for hemostasis and barrier, in root canal therapy, 291–293

Color, color vision confusion and, 343 hue as attribute of, 344, 345 light and, 342 organization and specification of, 343–344 perception of, 342–343 shade communication and, 355 visual selection of shade and, 345

Color matching, advances in, **341–358** light sources for, 344–346 visual shade-matching environment and, 344–346

Colorimeters, filter, digital cameras as, 349 shade-taking devices and, 348

Composite template, for additive mouth preparation, 692

Computers, as "hub" between office components, 309, 311, 315 choosing software program for, 310, 312 decision for, obtaining information for, 311-312 digital radiography systems and, 313, 317-318, 319, 321 documentation of treatment using, 312-313 "endodontics-only" software for, 311 for electronic mailing of reports and radiographic images, 316 for patient education, 309 increasing knowledge base for users of, 314-315, 320 practice management software systems for. 316–317 technologies incorporated into, 313 to manage vital information in practice, 309-310 Connectors, minor, guide planes and, for removable partial dentures, 686-687 Cosmetic laser surgery, 875-878 Crown(s), all-ceramic, 422-423, 425

reduction depth for, 377, 378 shoulder finish lines for, 371, 374 all-metal, chamfer finish lines for, 370, 371 depth of reduction for, 374–375 lengthening of, and upper labial frenectomy, 975-978 before bridge placement, lasers to establish, 980-985 before crown placement, lasers to establish, 978-980 closed-flap osseous, laser in, 1050-1052 lasers in, 902, 955-956, 957 metal-ceramic, 422, 424, 425 chamfer finish lines for, 370, 372-373 reduction depth for, 375, 376, 377 milled surveyed, and pontics, 694-695 placement of, soft tissue management adjunctive to, lasers in, 987-991 reduction depths for, 372-377 removal from master cast, before denture waxing, 700-701 resistance form and, 387

D

De-epithelialization, following periodontal therapy, 944–946 lasers in, 945

Dental casting alloys, 499-512

Dental ceramics, all-ceramic systems, 521 survival literature for, 523-526 clinical concepts of, and performance issues in, 521-526 versus metal-ceramic systems, advantages of, 521-522 composition, uses, and commercial examples of, 514, 515 current thinking and trends in, 513-530 etching and bonding of, 527 for inlay/onlay restorations, 524-525 for multi-unit prostheses, 526 for single-unit crowns, 525-526 for veneer restorations, 523-524 fracture toughness and, 520 glass, 516 glazing of, versus polishing of, 527 metal-ceramic sysytems, 521-522 metal in "strengthening" of, 520-521 particle-filled glasses, 514-516 polycrystalline, 516-517 practical aspects of, 526-528 predominantly glassy, 513-514 repair of, 527-528 science of, and fracture, background concepts of, 513 simple failure statistics on, decisions based on, 522-523 strength of, 519-520 substructure for, 517-518

Dental ceramics (continued) transformation-toughened zirconium oxide, 518-519 translucency of, 526 Dental implants, influence on alveolar bone, 609 osseointergrate, denture adhesives and, 731-732 Dental lasers. See Laser(s). Dental office, dynamics of, effect of laser on, 1111-1112 modern, 1107-1108 computers in. See Computers. design of, in "information age," 309-321 team dynamics in, 1108-1109 Dental professionals, education of, 724 Dentin, absorption characteristics of, 1077-1078 carious, absorption characteristics of, 1077-1078 diseased, ablation thresholds for, optoacoustic determination of, 1078-1080 hypersensitivity of, 809-810 modification of dentin structure in. 810-815 modification of structure of, 810-815 thickness of, temperature increase as function of, 1086-1087 Dentogingival complex, average measurements of, 839-840 Denture(s), all-ceramic fixed partial, contemporary, 531-544 dimensions for connectors in. 532 evolution of. 533-534 framework design for, 532-533 in vitro study of, 532 patient selection and treatment planning for, 535-536 recent core materials and technologies for, 534-535 retrospective studies of, 531-532 Y-TZP-based, clinical procedures for, 541 design and manufacturing of, 537, 538 features of, 538-540 limitations of, 540-541 complete, immediate, 717, 718 soft liners for, 717, 718 simplified, 625-640 classification system for evaluation for, 628, 629

delivery of, 637-638 dental history for, 626-627 diagnosis and treatment planning for, 625-628, 629 esthetic try-in for, 635–637 extraoral examination for, 627 impressions and record bases for, 630-634 instructions to patient for, 638-639 intraoral examination for, 627-628 jaw relationship records for, 634-635 medical history for, 626 modification of existing dentures for, 629-630 recall appointments in, 639 relinings for, 639-640 treatment prior to, 629-640 single maxillary, 567-583 changes to occlusal discrepancies in, 568-569 Class 1, 570-571 Class 2, 572, 573 Class 3, 573–577, 578 Class 4, 578 Class 5, 578-581 classification system for patients requiring, 569-570 equlibrium/balance of. elements for, 568 stable, elements for. 567-568 tooth selection for, 569 variables determining success of, 567 fixed partial, framework design for, 739 implant-retained, 737-738 metal ceramic, 736, 739, 740 fixed-removable, complications of, 685 new, denture adhesives and, 731 partial, casting control of, 701 patient/dentist education on, 723-724 removable partial, denture adhesives and, 732 guide planes and minor connectors for, 686-687 materials for occlusal surfaces for. 672 occlusal patterns and, 677 plane of occlusion for, 676 tooth-retained fixed partial, 735-737 graft shrinkage and, 736, 738 stability of, 736, 737

1148

Denture adhesive(s), 721-733 composition of, 721-722 contraindications to, 732 creams and powders, 726-728 desired attributes of, 725 frequently asked questions concerning, 725-726 indications for, 729-732 insoluble, 721, 722–723 masking effect of, 724 risks of, 724-725 myths and misconceptions concerning, 724 pads and synthetic wafers, 722-723, 726 soluble, 721, 722 Denture occlusion, complete, 641-665 balanced articulation and, 642-643, 644 current need for, 649-650 international workshop on (1972), 641 lingualized articulation and, 645-646 evaluation at insertion appointment, 663-664 in trial denture, 659-660 molds for, 651-652, 654 factors in, 652-656 occlusal schemes for, 647, 648 refining after processing, 660-664 tooth molds for, 647-648, 649-650 lingualized integration for, rationale for, 650-651 monoplane articulation and, 644-645 non-anatomic posterior tooth forms and, 643-644 nonbalanced articulation and. 643-644, 645 occlusal patterns and tooth arrangements and, 641-642 diagnosis and treatment planning for, 668 goal of, 667 removable partial, 667-683 Denture teeth, materials for, 671-673 selection of, 671-674 semianatomic, 674

Die pins, for resin dies, 700

Digital radiography systems, computers and, 313, 317–318, 319, 321 Dilan hyperplasia, lasers in, 902

Diode lasers, 764, 835, 940–941 semiconductor, for oral and maxillofacial surgery, 864

Dowel cores, indirect, for retention of restoration, 458, 459, 466–467

Dual-arch impression technique, 463-465

E

	Edentulism, and	socioeconomic	status,	609
--	-----------------	---------------	---------	-----

Edentulous arches, classification of, 669

Elderly patients, denture adhesives for, 730–731

Electronic mailing, of reports and radiographic images, computers for, 316–317

Enamel, absorption characteristics of, 1077–1078

Endodontic practice, instruments and techniques for, 1–9 modern, **1–9** anatomy of, 6–9

- Endodontic surgery, indications for, 820 lasers in, 823–826
- Endodontic therapy, erbium laser for bacterial reduction during, 1029 gaining access to root canal system in, 271–272 success of, factors influencing, 266
- Endodontic working width, current concepts and techniques, 323-335
- Endodontically treated teeth, restoration of, **397–416**

Endodontics, and microscope, **11–18** cleaning and shaping techniques in, 323 conventional, failure of, and retreatment, **265–288** case selection for, 267–271 reasons for, 265–267 retreatment versus microsurgery, 267 lasers in, 785–789, **809–832** removal of semisolid materials in, 275–280 solid material removal in, 280–286

"Endodontics-only" software, 311

Epinephrine, as gingival displacement medicament, 435–436, 437 Erbium lasers, 766-767, 835, 942-944, 1017-1059 delivery systems of, technical considerations for, 1022-1023 erbium:yttrium-aluminum-garnet wavelength, in vivo clinical cases using, 1033-1052 for ablation of bone, 1049-1050 for bacterial reduction during endodontic therapy, 1029 for class II caries, 1039, 1040 for class III composite resin and caries removal, 1039-1040, 1041 for class IV composite resin and caries removal, 1040-1042 for class V abfractive lesion, with soft tissue removal, 1043-1046 for fibroma removal on buccal mucosa, 1046-1048 for large occlusal lesions, 1038-1039 for microdental caries removal, 1036-1037 for oral and maxillofacial surgery, 863 in bone ablation, 1030-1031 in operative dentistry, 789-790 in periodontal disease, 1029-1031 in restorative dentistry, 1023-1028 clinical tips and cases for. 1033 maxillary labial frenectomy with, 1048 power settings for, 1033-1036 Exostoses, surgical treatment of, 965

Exostoses, surgical treatment of, 903

Eye protection, during use of lasers, 802–803

F

Fiber-reinforced composite prosthesis(es), 545-562 advantages of, 552, 555 anterior full-coverage, 545, 546 cantilever anterior bridge over healing extraction site, 560-561 chairside, 552-559 clinical cases illustrating, 559, 560-561 dual-wing anterior chairside bridge using, 559, 560 fiber architecture for, 545-548 flexure properties of, 548 for replacement of missing premolar, 561 implant-retained, 551-552, 553, 554 laboratory-fabricated, 548-552 material for, 545 Fibroma(s), lasers in prosthetic care of, 965-968 on buccal mucosa, removal of, erbium

laser for, 1046-1048

```
Fixatives. See Denture adhesive(s).
```

Flowmetry, laser Doppler, 815

- Fluorescence emission measurements, for selective removal of calculus, 1091–1092
- Food and Drug Administration (FDA), dental lasers and, 1133, 1134
- Fractures, toughness of dental ceramics and, 520

Frenectomy, carbon dioxide laser in, 948, 949, 951–952 erbium laser in, 1048

Frenum, maxillary, diagnosis and treatment of, 895–899, 900, 901 maxillary labial, removal, with erbium laser, 1048

Functionally generated path, 677-678

G

Gingiva, overgrowth of, removal of, before recementation of bridge, lasers in, 985–987
recontouring of, in orthodontic patients, 902, 905–907
Gingival ceramics, color of, and creation of illusion, 736
shade selection for, 741

Gingival displacement, current concepts in, **433–444** for effective impression, 433 technique(s) of, classification of, 434–435 deficient, 433 double cord, 439–440 "every other tooth," 441 infusion, 440–441 new, and new materials, 441 single cord, 437–438 trimming gypsum die in, 435

- Gingival graft, free, laser in, 952, 953-954
- Gingivectomy(ies), in orthodontic patients, 902, 905–907 lasers in, 777–778, 941–946, 947–951
- Gingivoplasty, carbon dioxide laser in, 947, 948, 951
- Group function, 668
- Guide plane restorations, waxed proximal metal rest for, 693, 694
- Guide planes, and minor connectors, for removable partial dentures, 686–687

mouth preparation for, 690-692

Gutta percha, removal of, 275-280

Gutta percha cones, obturation of root canal system and, 204–207, 211 of MicroSeal systems, 220, 221, 227–231

Gutta percha heater, of MicroSeal systems, 221, 231–232

Н

Hard tissues, dental, histologic investigations of, after 377-nm laser impact, 1087–1089

Hemostasis, lasers in, 874-875

Herpes labialis, laser therapy in, 1070

- Herpetic lesions, laser therapy in, 905–907, 911
- HIV, oral manifestations of, lasers to treat, 958
- Holmium:YAG lasers, 765–766, 941–942 for oral and maxillofacial surgery, 863

Hue, as attribute of color, 344, 345

Hydrocolloid impression materials, reversible, 446, 449

I

Illusion, creation of, color of gingival ceramics and, 736

Implant-connecting bar, milling of, for maxillary class IV, 705, 706

Implant dentistry, lasers in, 882–883, 999–1015

advantages of, 1000 clinical cases demonstrating, 1004–1013 clinical situations benefiting from, 1003–1004 impact on implant success or failure, 1000–1001 short- and long-term significance of, 1001–1002

Implant surgery, second-stage, carbon dioxide laser in, 950, 951, 952–953

Implant therapy, soft liners following, 717–718

Implants, ailing, lasers to repair, benefits of, 1002–1003 erbium lasers use around, 1030–1031 influence on alveolar bone, 609

lasers and, 1120–1121 osseointergrate, denture adhesives and, 731-732 prostheses manufactured for, impact of laser on, 1004 Impression(s), and record bases, for simplified complete dentures, 630-634 as communication aid with dental technicians, 460-464, 467 custom trays for, 450-451 deficiencies of, causes of, 445 disinfection of, 454 dual-arch technique for, 463-465 effective, for gingival displacement, 433 final, second pour of, 484-485 for bonded metal surfaces, 693 putty/wash techniques for, 456, 459-462 segmental technique for, 465 taking of, quartz fiber delivery laser and gingival cuff retraction during, 991-993 tooth/implant, 456, 457, 458, 466 triple tray, position of mouth for, 482-483, 484 Impression material(s), accuracy of, evaluation of, 446 adequate mixing of, 454 adhesion to tray, 453 and techniques, contemporary, 445-470 cost of, 451 dimensional stability of, 447-448 dislodged from impression tray, 480 elastic recovery of, 446-447 flow and flexibility of, 448-449 hydrophilicity of, 449-450 ideal properties of, 446 low-viscosity, gingival displacement in, 434 manipulation of, principles of, 451-454 uniform bulk and, 452 patient comfort and, 450-451 polyvinyl siloxane as, 445, 446, 447, 454-458 advantages of, 454-455 disadvantage of, 455 inhibition of polymerization of, 455-458 pouring of, 453 promptly, 480-481 setting of, movement during, 479-480 shelf-life of, 450 soft liners and, 716-717 viscosity control and, 453-454 workability of, 449

Informed consent, laser dentistry and, 1117 Instruments, endodontic, nonsurgical ultrasonic, **19–34** for nonsurgical endodontics, 13–14 Interim restoration(s), **487–497** basic requirements of, 487–489 biologic requirements of, 487–488 biomechanical requirements of, 488

color stability of, 491 diagnostic potential of, 488–489 direct techniques of fabrication of, 492–493 exothermic reaction to, 491 fabrication of, techniques for, 492–495 indirect-direct technique of fabrication of, 494 indirect technique of fabrication of, 493–494 marginal integrity of, 494–495 materials for, 489–491 matrices for, 492 reinforcement of, 490 strength and rigidity of, 489–490

Interocclusal records, 670–671 materials for, 485

Interpolymer network acrylic denture teeth, 672

J

Jaw relation records, for fixed prosthodontics, **471–486** for simplified complete dentures, 634–635

K

K3 rotary nickel-titanium file system, 137–157 author's experience with, 141–143 clinical technique, 148–156 assumptions for, 145–148 files, 137, 138–140 gauging of apex for, 154–156 literature on, 143–145 standard technique, variations on, 156–157

L

Laser(s), acceptance of, 1017 advantages of, 963 adverse events reporting and, 804 amplification and, 753 and implants, 1120–1121 argon. See *Argon lasers*. basic components of, 753 carbon dioxide. See Carbon dioxide laser(s). class IV, fire and explosion hazards associated with, 800-801 classification of, 796-798 clinical applications of, during removable prosthetic reconstruction, 963–969 in surgical procedures, 964–968 connections and traffic in area of use of. 801-802 continuing education in use of, 1114-1116 contraindications and safety measures in use of. 1067 critical evaluation of information on. 1135-1136 daily use of, 1139 diode. See Diode lasers. electromagnetic spectrum and, 754-755 erbium. See Erbium lasers. evaluation of. 1127-1144 eye protection during use of, 802-803 for cleaning and shaping of root canal system, 818-820 for incision, excision, and ablation, 775-777 for initial periodontal therapy, 923-936 for osseous resection, 785 for pulp capping, 816-817 for pulp therapy in primary teeth, 905-907, 911 for treatment of dentin hypersensitivity, 811-815 fundamentals of, 751-770 hard tissue, biophysics of, 1020-1022 in dentistry, 1017-1018 in restorative dentistry, 1023-1028 in soft tissue ablation, 1028-1029 history of, 751 holmium:YAG, 765-766, 941-942 for oral and maxillofacial surgery, 863 impact on prostheses for implant restorations, 1004 in aesthetic dentistry, 833-860 case reports of, 840-858 types of, 835 vital issues for success of, 834 in closed-flap osseous crown lengthening, 1050-1052 in crown lengthening and upper labial frenectomy, 975-978 in dental implantology. See Implant dentistry, lasers in. in dentistry, 772

biologic rationale for, 771-794 historical review of, 1018-1020 in endodontic surgery, 823-826 in endodontics, 785-789, 809-832 in gingival surgery, 777-778 in hard-tissue treatments, and softtissue treatments, combining of, 919 in implant dentistry. See Implant dentistry, lasers in. in operative dentistry, 789-790 in oral and maxillofacial surgery, 861-888 in periodontal therapy, nonsurgical, 778-781 regenerative, 781-784 in scar revision, 884-885 in soft tissue crown lengthening, 955-956, 957 in soft-tissue treatments, and hardtissue treatments, combining of, 919 in surgical periodontics, advantages of, 937-938 and oral medicine, 937-962 history of, 937 in temporomandibular joint surgery, 883-884 in treatment of oral lesions, 956-958 in uvulopalatoplasty, 878-882 neodynium:YAG. See Neodynium: YAG laser(s). photons produced by, 752 practice integration checklist and, 1137-1139 public regard for, 1105 regulatory agencies and standards organizations on, 1133-1134 return on investment, 1112-1114 safety of, 795-807 agencies regulating, 795-796 research on, 804-805 selection of, 1128-1129 features to consider and, 1129 instrument checklist for, 1129-1133 selective removal of plaque and calculus using, historical evaluations of, 1091-1094, 1095 sources of information on, 1140-1141 staff and patient education in, 1138-1139 sterilization and infection control for use of. 803-804 "stimulated emission" and, 753-754 terminology associated with. 755-756 -tissue interaction(s), 760-762, 972-974

training in use of, and clinical technique, 1137–1138 trends in use of, 1139–1140 types of, in aesthetic dentistry, 835 visible and ultraviolet spectral domain and, 1077–1078 wavelengths used in dentistry, 763–768

Laser delivery systems, 756-758, 773-775

Laser dentistry, biopsy and, 1118–1119 creating value for, 1106–1107 doctor and, 1114 ethics and responsibilities of, 1116–1117 hygiene department and, 1115 informed consent and, 1117 marketing of, 1109–1111 philosophy of, 1116 photography and, 1117–1118 practice management in, **1105–1126** professional affiliations and, 1115–1116 staff and, 1114

- Laser Doppler flowmetry, 815
- Laser emission modes, 758-759
- Laser energy, and tissue temperature, 759–760 delivery of, thermographic measurements of, 1084
- Laser light, 752 to assess health of tooth structures, 1077
- Laser peel, in endogenous pigmentation, 954–955, 956
- Laser physics, principles of, for oral and maxillofacial surgery, 864–866
- Laser pocket thermolysis, 939
- Laser research, on selective ablation of caries, calculus, and microbial plaque, 1077–1104
- Laser safety glasses, 802-803
- Laser safety officer, 798-800
- Laser science, basic, 752-755
- Laser surgery, cosmetic, 875–878 soft-tissue, using various wavelengths, 947–958

Laser therapy, documentaion of, 919–920 in orthodontics, 1070 low-level, **1061–1076** applications of, 1069–1070 clinical applications of, 1067–1072 Laser therapy (continued) dosage and calculations for, 1064 equipment for, 1063, 1064 history and development of, 1062 mechanisms of action of, 1065-1067 photochemical theory and, 1065-1066 post-operative care following, 1068 principle of using, 1065 terms and definitions in, 1062-1063 magnification for, 913, 914-915 Lesions, oral, lasers in treatment of, 956-958 Leukoplakia, removal of, lasers for, 958

- Lichen planus, laser peel in, 958
- Light sources, for color matching, 344-346

LightSpeed System, **113–135** instruments, design of, 113–116 fracture of, 130 IAR, 119 maintenance and replacement of, 128–130 MAR, 118, 119–122 technique of, details of, 118–127 principles of, 117–118

Lingualized occlusion, 668, 674

Μ

Mandibular posterior teeth, arranging of, for occlusal rehabilitation, 656-657 Margin(s), cervical, configurations of, 419-420 designs of, for acceptable marginal integrity, 421 placement of, landmarks for, 417-419 providing marginal integrity, 420 too deep in sulcus, 417, 418 porcelain labial, preparation of, 426, 428 shoulder-bevel, 421, 422 Master casts, solid, and pindex, fabricated from final impression, 696 Maxillary posterior teeth, arranging of, for occlusal rehabilitation, 657-659

Maxillofacial surgery, and oral surgery, lasers in. See Oral surgery, and maxillofacial surgery, lasers in. Metal finishing, for partial dentures, 703-704 Metal surfaces, bonded, construction of, 693-694 impressions for, 693 final milling of, for partial dentures, 699-700 Metals, for alloys in dentistry, 499 Microscope, 1-3, 4 cost of, versus patient benefit of, 18 endodontics and, 11-18 in nonsurgical endodontics, 11-18 procedures requiring, 15-17 MicroSeal systems, 217-264 condenser, 218, 219, 220, 224, 225-227 description of, 221-232 discussion of, 254-263 gutta percha cones, 220, 221, 227-231 gutta percha heater, 221, 231-232 modifications of, 224-231, 237-246 nickel-titanium finger and engine spreader, 218, 223-225 preclinical test, 232-253 technique in, description of, 222, 223, 224, 232-235 obturation, 218 Milled surface(s), as precision attachment, 685-708 creation of, diagnostic preparation for, 687-689, 690 in enamel, preparation guide planes for. 690, 691 mouth preparation for, 690-692 preparation of abutments and, 687 Milling, complex, for maxillary class IV, 704.706 in denture repair situation, 706, 707 of lingual surface of single anterior restoration, 702, 704-705 process of, clinical examples of, 704-707 simple, of lingual surfaces of posterior teeth, mandibular class IV, 703, 705 Mineral trioxide aggregate, 6 in one-step apexification, 301-302 to seal perforations, 291, 295-296 Molar(s), first, use in occlusal rehabilitation, 657 659 second, use in occlusal rehabilitation, 657.659 single-rooted, post and core restoration of, direct core

material for, 402–403, 404–405 ferrule for, 403, 406 guidelines for, 403–404 increasing success of, 400–401, 402

- Molds, for complete denture occlusion and lingualized articulation, 647–648, 649–650, 651–652, 654
- Mouth mirror, for nonsurgical endodontics, 13
- Mucositis, laser therapy in, 1070-1071

"Mush bites," 482

N

Natural tooth/implant-supported fixed prosthesis, neodynium:YAG laser in defining emergence profile, 993–997

Neodynium:YAG laser(s), 765, 836, 939–940

- for oral and maxillofacial surgery, 862–863
- natural tooth/implant-supported fixed prosthesis emergence profile and, 993–997

Nickel, allergies to, 59

- Nickel-titanium finger and engine spreader, of MicroSeal systems, 218, 223–225
- Nickel-titanium (NiTi), and stainless steel, properties of, 55, 56 options and challenges in use of, 55–67 use in endodontics, chronology of, 59–64
- Nickel-titanium (NiTi) alloy instruments, corrosion and sterilization of, 58–59

Nickel-titanium (NiTi) files, 5–6 common features of, 61–62 composition of, 55, 56, 57

Nickel-titanium rotary instrumentation, apical preparation for, 193-197 body shaping for, 193 crown down, 188-189 glide path for, 192-193 hybrid concept of, 183-202 limitations of, 199-201 hybrid sequences overview in, 197 ideal preparation, 189–190 master apical file size in. 191–192 passive, representatives of, 185-186 rules, 187 sample cases of, 197-199 series 29 sizes, 185 step back, 189 straight line access for, 190 working length determination in, 190

- NiTi alloy instruments, manufacturing of, 57–58
- NiTi ProTaper system. See *ProTaper NT* system.
- NiTiNOL alloy, 55 manufacturing of, 57–58

0

Obtura compactor, 5

- Obturation, of root canal system. See *Root* canal system, obturation of. cavity preparation and, 217
- Obturation instruments, 217-219
- Obturators, Thermafil, 285
- Occlusal lesions, erbium laser for, 1038–1039
- Occlusal plane, landmarks for, 674-675
- Occlusal recording materials, 671

Occlusal rehabilitation, adjustment of protrusive contacts in, 662–663 adjustment of working and balancing contacts in, 660–662

- anterior and posterior reference points for, 654, 655
- anteroposterior compensating curve for, 655–656
- arrangement of mandibular posterior teeth for, 656–657
- arrangement of maxillary posterior teeth for, 657–659
- artificial tooth forms requirements for, 651
- buccolingual positioning of teeth for, 654–655
- establishment of maximum intercuspation in, 660, 661
- maximum intercuspation at centric jaw relation position, 650
- mediolateral compensating curve for, 656, 657
- natural appearance of tooth arrangement for, 651 number of teeth selected for, 653, 654 occlusal contacts or tooth interferences for, 650–651
- premolar in, 656, 658-659

Occlusal scheme(s), and morphologies, choice of, 673–674 determination of, 680–681 objectives for establishing, 679–680

Occlusal surfaces, cast gold, 678-679

Occlusal trauma, symptoms of, 668

Occlusion, lingualized, 668, 674 vertical dimension of, 485 Oral surgery, and maxillofacial surgery, lasers in, 861-888 advantages and disadvantages of, 866-867 selection of, 862-864 techniques for use of, 867-875 Orthodontic patients, gingival recontouring and gingivectomies in, 902, 905-907 Orthodontics, exposure of teeth for, 899-901, 902-904 laser therapy in, 1070 Osseointergrate implants, denture adhesives and, 731-732 Overdenture(s), for transition from dentate to edentulous, 585-586 mandibular, complete, 603-623 conventional, problems with, 604 endosseous dental implants as support for, 603-604 implant-supported, 608-613 attachments for, 620, 621 autopolymerizing denturebase material for, 617-618 clinical technique for, 613-620 complications associated with, 611 interconnection of, 612 jaw relations for, 615-616 mandibular master cast for, 615 number of implants for, 611-612 O-ring overdenture attachment mechanisms for, 614 patient examination for, 610 resin for, 618–619, 620 situations suitable for, 608, 609 surgical guide for, 613-614 trial denture setup for, 616-617 tooth-borne, 604-608 advantages of, 605 caries and, 605, 606 disadvantages of, 605 improvement of retention stabilization for, 607-608

maintenance of, 608 treatment planning for, 606-607 maxillary, implant-retained, 585-601 advantages over conventional dentures, 589-590 fixed or removable, 590 implant-connecting bars for, 595-596 impression for, 594-595 insertion of. 597 inspection of fitting accuracy for, 596 lone-standing of barconnected, 590-591 movement of, 588 placement of, 587-588 retentive components for, 588, 589 technique for fabrication of, 593-596 location of available bone for. 592-593 number and location of implants for, 592 retentive elements connected to implants for, 593 treatment planning for, 591-593 retention of natural tooth roots and. 586-587 use of, clinical research findings from, 589-591

P

Patient education, computers for, 309 Pediatric dentistry, history of, 889-890 lasers in, 889-922 applications of, 890-891, 892 Periodontal disease, antibiotic therapy in, 925 diagnosis of, 926 erbium lasers in, 1029-1031 management of, nonsurgical, 1119 surgical, 1119-1120 Periodontal therapy, laser fiber calibration for, 929 laser fiber placement for, 929-932 lasers in, appointment protocol for, 927-929 chart documentation for. 932 evaluation of disease and. 933-935 in dogs, pulpal safety study of, 1101-1102 postoperative instructions for, 931-932

rationale for, 924–925 referral following, 935 reprobing after therapy with, 932, 933 scope of practice and, 923–924 treatment planning for, 926–927 nonsurgical, lasers in, 778–781

- Periodontics, surgical, lasers in, **937–962** advantages of, 937–938 history of, 937
- Periodontitis, laser therapy in, 1072
- Physically/mentally challenged patients, denture adhesives and, 731
- Plaque, and calculus, selective laser removal of, historical evaluations of, 1091–1094, 1095
- Plastic coping(s), fabrication of, 697 transfer to solid cast, 697, 698
- Polyether impression materials, 450
- Polyvinyl siloxane, as impression material, 445, 446, 447, 454–458
- Pontics, milled surveyed crowns and, 694–695
- Porcelain, application of, to alloys, 503–505 feldspathic, 741–743
- Porcelain denture teeth, 672
- Positioning, for nonsurgical endodontics, 12–13
- Post, facilitated removal of, 272-274
- Premolar, use of, in occlusal rehabilitation, 656, 658–659
- Preprosthetic surgery, soft liners following, 717–718

ProFile system, **69–85** clinical applications and, 76–80 effect of chloride and sterilization on, 73 file, clinical performance of, 71–73 design of, 70–71 retreatment using, 79–80 safety concerns and, 73–76 sequences for use of, 78, 79

Prosthesis(es), fiber-reinforced composite. See Fiber-reinforced composite prosthesis(es). fixed or removable, 487

Prosthesis frameworks, for fixed prosthodontics, 478

Prosthetic reconstruction, removable, clinical applications of lasers during, 963-969 Prosthodontics, fixed, jaw relation records for. 471-486 articulator choice and, 478-479 avoiding errors and inaccuracies in, 479-485 created tripod interocclusal record and, 474-478 existing tripod interocclusal record and, 472-473, 474 facebow for, purpose of, 479 function of, 472 prosthesis frameworks for, 478 vertical dimension of occlusion and, 471 use of lasers in, 971-998 biologic considerations in, 972-974 gingival management in, 975-997 procedures in, 974-975 treatment planning considerations for, 971 ProTaper NT system, 87-111 access cavity preparation with, 100 - 101

design of instruments in, 88–98 establishment of glide path with, 101 file(s), 91–94 finishing, 97–98 instrumentation with, 99–108 shaping, 95–97 irrigation and chelators used with, 102–103 torque-controlled endodontic motors, 99–100

Pulp, blood flow in, laser Doppler flowmetry for diagnosis of, 815

Pulp capping, 815–817 conditions for, 816 lasers in, 816–817

Pulp chamber, temperature in, laser ablation processes and, 1083–1084

Pulp therapy, and periodontal therapy, lasers in, safety in dogs, 1101–1102 in primary teeth, lasers for, 905–907, 911

Pulpless teeth, molars, single-rooted, post and core restoration of. See Molars. single-rooted, post and core restoration of, and length of post, 398 apical seal and, 399 complications with, 411 dental cements for, 409-411 design to conserve radicular tooth structure, 400 ferrule length and, 398-399 fiber reinforced epoxy resin posts in, 406-408 guidelines for posts in, 400, 401, 402 prefabricated posts for, 405-409 success of, 398 woven-fiber composite materials for, 409 zirconia posts in, 408-409

Pulpotomy, 816

Pulse repetition rate, temperature increase as function of, 1086–1087

R

Real World Endo Sequence File, 159–182 file, cutting efficiency of, 164-165 design of, 167-173 tip design in, 164 pitch/helical angles of, 171 resistance and torque requirements, 165-166 rotary, design of, 162-167 flexibility of, 166 quality of manufacturing, 163 speed of, 166-167, 172-173 technique of, 173-175 for extrasmall canals, 175-176 Reconstructive surgery, denture adhesives and, 730 Record bases, acrylic, autopolymerizing of, 633-634 and impressions, for simplified complete dentures, 630-634 fabrication of, for mounting procedures, 696 Reduction guide, to assess tooth reduction, 695 Refractory cast, duplication of, 702 Resin tray, aupolymerizing of, to facilitate removal, 700 Resistance form, crowns and, 387 evaluation of. 388-389

in tooth preparation, **387–396** laboratory studies evaluating, 391–392 methods to analyze, 390–391 methods to enhance, 392–394 on/off nature of, 389–390 preparation taper for, minimally acceptable, 388–390 use of, clinical outcomes following, 387

Restoration(s), esthetic, contemporary, cervical margin design with, **417–431** final fixed, fabrication of, 695–701 guide plane, waxed proximal metal rest for, 693, 694 interim. See *Interim restoration(s)*. provisional, diagnostic casts of, 697 in gingival displacement, 434 single anterior, lingual surface of, milling of, 702, 704–705

- Restorative dentistry, and erbium lasers, clinical tips and cases for, 1033 hard tissue lasers in, 1023–1028 practice management for, 1120
- Retraction cords, in gingival displacement, 435, 436

Ridge deficiencies, prosthodontic management of, 735–744

Root, dentinal tubules in, 819 natural tooth, retention of, overdenture and, 586–587 perforation of, repair of, cases illustrating, 296–300 one-step apexification procedures and, **291–307**

Root canal system, cleaning and shaping of, 817-820 lasers in, 818-820 gaining access to, in endodontic therapy, 271-272 obturation of, 203-215 cavity preparation and, 217 gutta percha cones and, 204-207, 211 Obtura II unit and, 203, 205, 209 S-Kondensers and, 203, 204, 207, 208, 293-294 System B unit and, 203, 204 to treat impossible cases, 212-215 therapy of, calcium sulfate for hemostasis and barrier in. 291-293, 295 collatape for hemostasis and barrier in. 291-293 sodium hypochlorite for irrigation in, 291

working width of, 324 at working length, determination of, 327–328 eliminating or minimizing influence of affecting factors, 330–332 factors affecting, 328–330 minimal and maximal, at working length, determination of, 332–333

Root perforation, electronic apex locator to detect, 48

Rubber dam, placement for nonsurgical endodontics, 11–12

\mathbf{S}

Scar revision, lasers in, 884-885

Sealants, placement of, laser in, 914, 917–918

Segmental impression technique, 465

Shade communication, color and, 355

Shade guides, 346-347

Shade-taking devices, 347–355 colorimeters and, 348 currently available, 349–353 design of, 348 limitations of, 353–355 spectrophotometers and spectroradiometers, 349

Skin resurfacing, full-face, lasers in, 878, 879

S-Kondensers, obturation of root canal system and, 203, 204, 207, 208, 293–294

SMILES, design of, 836–838 evaluation form, 836–838

Sodium hypochlorite, for irrigation in root canal therapy, 291

Soft liners, **709–720** categories of, 712–713 clinical uses of, 715–716 complicating factors, 713–714 diagnostic relining and, 716 following preprosthetic surgery, 717–718 for immediate complete denture, 717, 718 impression material and, 716–717 International Organization for Standardization and, 712 material properties for, 711–712 relining materials for, 709–711 tissue conditioners and, 715–716 Soft tissue, ablation of, hard tissue lasers in, 1028–1029

Soft tissue landmarks, impressions for communication of, 460–464, 467

Soft-tissue laser surgery, using various wavelengths, 947–958

Soft-tissue lesions, lasers in prosthetic care of, 965–968 removal of, lasers for, 903

Soft-tissue treatments, and hard-tissue treatments, combining of, 919 laser, 891–895

Spectrophotometers, for color measurement, 349

Spectroradiometers, for color measurement, 349

Stomatitis, denture, lasers to treat, 963

System B/"Touch'n Heat," 2, 5

System B unit, obturation of root canal system and, 203, 204

Т

Temperature increase, as function of dentin thickness, 1085–1086 as function of pulse repetition rate, 1086–1087

Temporomandibular joint, surgery of, lasers in, 883–884

Thermafil obturators, 285

Thermographic measurements, of delivery of laser energy, 1084

Tips, ultrasonic. See Ultrasonic tips.

Tissue ablation, lasers in, 871-874, 875, 876

Tongue-tie. See Anklyoglossia.

Tooth forms, artificial, requirements of, for occlusal rehabilitation, 651 non-anatomic posterior, complete denture occlusion and, 643–644

Tooth/implant impressions, 456, 457, 458, 466

Tooth molds, for complete denture occlusion and lingualized articulation, 647–648, 649–650, 651–652, 654

Tooth preparation(s), designing of, **359–385** guidelines for, 359–362 occlusocervical/incisocervical dimension and, 362–364 Tooth preparation(s) (continued) ratio of occlusocervical/incisocervical to faciolingual dimension, 364-365 total occlusal convergence and, 359-362, 363 Tooth (teeth), anterior, landmarks for, 674 endodontically treated, restoration of, 397-416 erupting, pericoronal problems in, lasers to treat, 903-904, 910 extraction of, sectioning during, erbium laser for, 1048-1049 mandibular posterior, arranging of, for occlusal rehabilitation, 656-657 maxillary anterior, artificial, positioning of, 675-676 maxillary posterior, arranging of, for occlusal rehabilitation, 657-659 natural, position of, 674 posterior, artificial, positioning of, 676-677 landmarks for, 675 lingual surfaces of, simple milling of, 703, 705 preparation of, lasers in, 915-916, 918-919 preparation of, resistance form in, 387-396 prepared, circumferential form of, 365-366, 367, 368 finish line form, 369-371 finish line location, 367-369 guidelines for preparing, 380-382 line angle form, 377-378, 379 reduction uniformity of, 367, 369 surface texture of, 371, 380 pulpless. See Pulpless teeth. sectioning during extraction, erbium laser for, 1048-1049 Tori, surgical treatment of, 965

Total occlusal convergence, 359-362, 363

Trigeminal neuralgia, laser therapy in, 1071 Tuberosity, enlarged, laser management of, 965

U

Ulcerative lesions, lasers in treatment of, 956–957

Ultrasonic instruments, 3-4

Ultrasonic tips, 3–4, 20–23 access refinement, 24–27 bulk removal, 28 troughing, 28–33 vibratory, 27–28

Uvulopalatoplasty, laser-assisted, 878-882

V

Vaporization procedures, lasers in, 871-874

Veneer restorations, dental ceramics for, 523–524

Vertical dimension of occlusion, 471

W

Waxed proximal metal rest, and guide plane restorations, 693, 694

Waxup, cutback of, verification of, 698–699 milled on dental surveyor, 697, 698

Workshop, international (1972), on complete denture occlusion, 641

X

Xerostomia, denture adhesives and, 731

Y

Yttrium tetragonal zirconia polycrystals, for fixed partical dentures, 531, 534–535, 537–541