

THE DENTAL CLINICS OF NORTH AMERICA

Dent Clin N Am 50 (2006) 479-482

Index

Note: Page numbers of article titles are in **boldface** type.

B

Bacteria, challenging implants, 349–354

- Bioactive glasses, for augmentation of maxilla, 415–416
- Biofilm, microbial, in peri-implant soft tissue disease, 467
- Bone, alveolar, peri-implant, radiographic examination of, 468-469 autogenous, for augmentation of maxilary sinus, 417-421 bordering implant, loss of, 351-352 radiographic examination of, 468-469 marginal, implants and, 343-347 loss of, microgap and, 346 quality and quantity of, evaluation of, for Straumann Orthosystem implant anchorage, 428 reaction to Straumann Orthosystem implant anchorage, 427 vertical, loss of, esthetic implants and, 401
- Bone grafting, for maxillary sinus augmentation, 422–423

Bony palate, anatomy of, 428-429

С

- Calcium phosphate coatings, for implants, 330
- Calcium sulfate (gypsum), for augmentation of maxilla, 415
- Calculus, supragingival, on implants, 465
- Caldwell-Luc technique, for maxillary sinus augmentation, 412–413
- Contact guidance, 328

Crowns, implant-supported, laboratory phase for, 448 protocol for adjustment of shoulder of implant, 442–448 protocol for adjustment of solid abutment, 440–442 seating and cementing of, 449 simplified impression technique for, **439–449** single-tooth, 455–457 clinical application of, 457 success rate of, 457 standard clinical protocol for, 441–442

D

Dental implants. See Implant(s).

Dentures, conventional, and implant-supported mandibular dentures, compared, 457–458 implant-supported mandibular, and conventional dentures, compared, 457–458

Diabetes mellitus, risk for implant failure in, 367

Е

Endodontic treatment, initial nonsurgical, 451–455 outcomes of, 455 re-treatment, 455

G

Glow discharge treatment, 329

Н

Home care, peri-implant soft tissue disease and, assessment of, 467

Horizontal defect dimension, 378-381

Hydroxyapatite, for coating of implants, 332

I

Immuno-inflammatory factors, host, dental implant survival and, 370

0011-8532/06/\$ - see front matter © 2006 Elsevier Inc. All rights reserved. doi:10.1016/S0011-8532(06)00061-9 *dental.* Implant(s), alveolar bone around, radiographic examination of, 468-469 anchorage in orthodontics. See Orthodontics, implant anchorage in. bacterial challenges around, 349-354 biocompatibility of, 329 biologic width around, 347-349 bone loss (inflammatory cells) around, 351-352 bone surrounding, 325 components of, experimental studies of, 350 contact osteogenesis and, 325 crowns supported by. See Crowns. implant-supported. design of, consequences of, 339-360 distance osteogenesis and, 325 electrochemical reaction and, 324 endosseous, device for, and procedural factors, 362-363 failure of, risk factors for, 361-374 genetic risk markers for failure of, 370 immediate placement in extraction sites, 375-389 advantages and disadvantages of, 376 histology and clinical trials in. 378-382 indications for. 382-383 site classification for, 376, 377 treatment protocol for. 383-387 occlusal and technical complications of, 365-367 patient anatomy and osseous factors influencing survival of, 363-365 systemic risk factors associated with, 367-368 in esthetic zone, 391-407 apicocoronal position or countersink for, 397-398 buccolingual position for, 395-396 data collection for, 392-393 diagnosis and treatment planning for, 392-395 following atraumatic extraction, 399 gingival biotype assessment for, 393 horizontal defect in socket and. 400-401 immediate placement of, 398-400

implant angulation in, 398 implant placement in, 395 in edentulous sites, Garber classification fo, 401-403 interdental papilla and, 393-395 mesiodistal position for, 396-397 vertical bone loss and, 401 machine-finished, 330 maintenance of. 463-478 oral hygiene instruction and, 472-474 patient discussion of subjective symptoms and, 471-472 regimens for, 463, 466-467 marginal bone levels and, 343-347 marginal bone tissue around, 347 new, claims for, 323-324 occlusal status of, evaluation of, 469-470 one-piece, 340, 342 restoration of, 354-356 semi-submerged placement of, 341 osseointegration of, 463 predictability of, 343 radiographs at placement of, 345 root-form, 339 roughened surface, 330-331 sandblasted and acid-etched. 332 single-stage, 340-341 smooth surface, 330 soft tissues surrounding, 350-351 success of, factors influencing, 325 supragingival calculus on, 465 surface characteristics and, 327-330 surface chemistry and, 329-330 surface(s) of, 323-338 methods of altering, 331 surface topography and, 327-339 tissue-implant interface and, 324-325, 333 tissues around, examination of, 468 probing of, 470-471 stability of, esthetic implications of, 357-358 structure and function of, 463-464 two-piece, 339, 340, 342 restoration of, 356-357 uses of, 323 versus natural teeth, evidence-based decision-making on, 451-461 water molecules and hydrated ions and, 324-325 Impression technique, simplified, for implant-supported crowns, 439-449

Infection, at bone interface, dental implants and, 353

ITI Dental Implant System. See Straumann Orthosystem.

L

Le Fort I osteotomy, in maxillary atrophy, 411–412

М

Mandibular dentures, implant-supported, and conventional dentures, compared, 457–458 and natural teeth, compared, 458–459

Maxilla, atrophy of, Le Fort I osteotomy in, 411–412

Maxillary sinus, anatomy and physiology of, 410–411 augmentation of, **409–424** allogenic materials for, 416 alloplastic materials for, 413–416 autogenous bone for, 417–421 Caldwell-Luc technique for, 412–413 complications of, 421–422

surgical approaches to, 411-413

Microgap, bacterial colonization and, 342 marginal bone loss and, 346

Ν

Nasal cavity, perforations of, in orthodontic implant anchorage, 429–430

Nasopalatine nerve, 429

0

Oral health, instruction in, and maintenance of implants, 472–474

Osseotite Implant System, 331

Osteocolescence, implants and, 326

Osteogenesis, contact, implants and, 325 distance, implants and, 325

Osteointegration, implants and, 325-326

Osteotomy, Le Fort I, in maxillary atrophy, 411–412

Р

Peri-implant alveolar bone, radiographic examination of, 468–469

Peri-implant probing, 470–471 bleeding on, 471

Peri-implant tissues, examination of, 468 structure and function of, 463–464

Peri-implantitis, 465–466 implant failure in, 368

Peri-mucositis, 465

Polymethylmethacrylate, for augmentation of maxilla, 416

Postmenopausal women, risk for implant failure in, 367–368

R

Radiographs, at placement of implants, 345 for examination of peri-implant alveolar bone, 468–469

Rugophilia, 328

S

Smoking, risk for implant failure in, 367

Soft tissue disease, peri-implant, 464–466 home care and, assessment of, 467–468 microbial biofilm in, 467

Straumann Orthosystem, for implant anchorage in orthodontics, **425–437** bone reaction of, 427 clinical protocol for, 432–434 description of, 426–427 evaluation of bone quality and quantity for, 428 types of implants for, 426–427 single-tooth posterior implant, restoration of, 439–440

Palatine suture, ossification of, orthodontic implant anchorage and, 430–432

Т

Titanium, dual acid-etching of, 331 plasma-sprayed implants, 332

TiUnite surface, 331

Tooth (Teeth), extraction of, changes in hard and soft tissue in, 375

implants versus, evidence-based decision-making on, **451–461** natural, and implant-supported mandibular dentures, compared, 458–459 epithelial component of, 349

β-Tricalcium phosphate, for augmentation of maxilla, 413–414